



Wisconsin Department of Natural Resources

List of All Certified Laboratories

Certification Services

Laboratory Certification and Registration Program



Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Abbyland Foods WWTP Laboratory

ID: 737090420

Abbotsford WI

Phone: (715) 223-6386

Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Oil & Grease as HEM
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

AgSource Laboratories

ID: 737109450

Marshfield WI

Phone: (715) 898-1402

Matrix: Aqueous

Titrimetric or Potentiometric Titration Assays

- Alkalinity
- Ammonia as N
- Antimony
- Arsenic
- Biochemical Oxygen Demand (BOD)
- Cadmium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Copper
- Fluoride
- Hardness, Total as CaCO₃
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese
- Nickel
- Nitrate

AgSource Laboratories

ID: 737109450

Marshfield WI

Phone: (715) 898-1402

- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Orthophosphate
- Phosphorus, Total
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Sodium
- Sulfate
- Zinc

Matrix: Drinking Water

Secondary Inorganic Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Antimony - SM 3113B
- Arsenic - SM 3113B
- Calcium - SM 3111B
- Chloride - EPA 300.0
- Chromium - SM 3113B
- Copper - SM 3113B
- Fluoride - EPA 300.0
- Iron - SM 3111B
- Magnesium - SM 3111 B
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0
- Sodium - SM 3111B
- Sulfate - EPA 300.0

Matrix: Non-Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Antimony
- Arsenic
- Cadmium
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Fluoride

AgSource Laboratories

ID: 737109450

Marshfield WI

Phone: (715) 898-1402

- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite
- Phosphorus, Total
- Potassium
- Residue, Total
- Sodium
- Sulfate
- Zinc

ALS Environmental - Holland

ID: 399084510

Holland MI

Phone: (616) 399-6070

Matrix: Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PFAS (group)
- ## PVOC - Petroleum VOCs (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,2-Dibromo-3-chloropropane (DBCP)
- 1,2-Dibromoethane (EDB)
- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

ALS Environmental - Holland
ID: 399084510

Holland MI
Phone: (616) 399-6070

- Boron
- Cadmium
- Calcium
- Chromium, Total
- Cobalt
- Copper
- Cyanide, Available
- Cyanide, Total
- Diesel Range Organics (DRO)
- Formaldehyde
- Gasoline Range Organics (GRO)
- Iron
- Lead
- Magnesium
- Manganese
- Mercury
- Mercury, Low Level
- Molybdenum
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Strontium
- Thallium
- Tin
- Titanium
- Vanadium
- Zinc

Matrix: Drinking Water

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)

Matrix: Non-Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PFAS (group)
- ## PVOC - Petroleum VOCs (group)

ALS Environmental - Holland
ID: 399084510

Holland MI
Phone: (616) 399-6070

- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium, Total
- Cobalt
- Copper
- Corrosivity, Liquids
- Cyanide, Available
- Cyanide, Total
- Diesel Range Organics (DRO)
- Formaldehyde
- Gasoline Range Organics (GRO)
- Ignitability (Flashpoint), Pensky-Martens Closed Cup
- Iron
- Lead
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Paint Filter Liquids Test
- Potassium
- Reagent Water Shake Extraction (ASTM Leach)
- Selenium
- Silver
- Sodium
- SPLP Extraction
- Strontium
- TCLP Extraction
- Thallium
- Tin
- Titanium
- Vanadium
- Zinc

ALS Environmental - Holland
ID: 399084510

Holland MI
Phone: (616) 399-6070

Alternative Technologies Inc
ID: 998094350

Burnsville MN
Phone: (952) 894-3455

Matrix: Non-Aqueous

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)

Analytichem LLC

ID: 431011680

Luxemburg WI
Phone: (920) 866-3944

Matrix: Drinking Water

Secondary Inorganic Contaminants (Non-Metals)

- Chloride - EPA 300.0
- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0
- Orthophosphate - EPA 300.0
- Sulfate - EPA 300.0

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Ann Arbor Technical Services Inc (ATS)
ID: 998321720

Ann Arbor MI
Phone: (734) 995-0995

Matrix: Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium, Total
- Cobalt
- Copper
- Iron
- Lead
- Lithium
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Phosphorus, Total
- Potassium
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Selenium
- Silicon
- Silver
- Sodium
- Strontium
- Thallium
- Tin
- Titanium
- Vanadium

Ann Arbor Technical Services Inc (ATS)
ID: 998321720

Ann Arbor MI
Phone: (734) 995-0995

Matrix: Non-Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- Zinc
- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium, Total
- Cobalt
- Copper
- Iron
- Lead
- Lithium
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Phosphorus, Total
- Potassium
- Residue, Total
- Selenium
- Silicon
- Silver
- Sodium
- Strontium
- Thallium
- Tin
- Titanium
- Vanadium
- Zinc

Ann Arbor Technical Services Inc (ATS)
ID: 998321720

Ann Arbor MI
Phone: (734) 995-0995

Ashland Wastewater Treatment Plant
ID: 802008130

Ashland WI
Phone: (715) 682-7058

Matrix: Aqueous

Oxygen Demand Assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Residue, Nonfilterable (TSS)

Badger Laboratories - Stevens Point
ID: 750110460

Stevens Point WI
Phone: (715) 544-4900

Matrix: Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## VOC - VOLATILE ORGANICS (group)
- Organic Carbon, Total (TOC)

Badger Laboratories, Inc.
ID: 445023150

Neenah WI
Phone: (920) 729-1100

Matrix: Aqueous

Colorimetric or Turbidimetric

- Alkalinity
- Alkalinity
- Aluminum
- Aluminum

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Badger Laboratories, Inc.

ID: 445023150

Neenah WI

Phone: (920) 729-1100

- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Boron
- Cadmium
- Cadmium
- Calcium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chloride
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Cyanide, Available
- Cyanide, Total
- Fluoride
- Hardness, Total as CaCO3
- Hardness, Total as CaCO3
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium
- Magnesium
- Magnesium
- Manganese

Badger Laboratories, Inc.

ID: 445023150

Neenah WI

Phone: (920) 729-1100

- Manganese
- Mercury
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Oil & Grease as HEM, Silica Gel Treated (SGT)
- Orthophosphate
- Phenolics, Total
- Phosphorus, Total
- Potassium
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Selenium
- Silica
- Silicon
- Silver
- Silver
- Sodium
- Sodium
- Strontium
- Strontium
- Sulfate
- Sulfate
- Sulfide
- Sulfite
- Surfactants
- Thallium
- Thallium
- Tin
- Tin

Badger Laboratories, Inc.

ID: 445023150

Neenah WI

Phone: (920) 729-1100

- Titanium
- Titanium
- Vanadium
- Vanadium
- Zinc
- Zinc

Matrix: Drinking Water

Secondary Inorganic Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Aluminum - EPA 200.7
- Aluminum - EPA 200.8
- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Calcium - EPA 200.7
- Chloride - EPA 300.0
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Cyanide - EPA 335.4
- Fluoride - EPA 300.0
- Iron - EPA 200.7
- Lead - EPA 200.8
- Magnesium - EPA 200.7
- Manganese - EPA 200.7
- Manganese - EPA 200.8
- Mercury - EPA 200.8
- Mercury - EPA 245.1
- Nickel - EPA 200.8
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 300.0
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 300.0
- Nitrite - EPA 353.2
- Orthophosphate - SM 4500-P E
- pH - SM 4500-H+ B

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Badger Laboratories, Inc.

ID: 445023150

Neenah WI

Phone: (920) 729-1100

- Selenium - EPA 200.8
- Silver - EPA 200.7
- Silver - EPA 200.8
- Sodium - EPA 200.7
- Sulfate - EPA 300.0
- TDS (Total Dissolved Solids) - SM 2540C
- Thallium - EPA 200.8
- Zinc - EPA 200.7
- Zinc - EPA 200.8

Matrix: Non-Aqueous

[Inductively Coupled Plasma Emission Spectrophotometry \(ICP\)](#)

- Aluminum
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Boron
- Boron
- Cadmium
- Cadmium
- Calcium
- Calcium
- Chloride
- Chloride
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Corrosivity, Liquids
- Cyanide, Available
- Cyanide, Total
- Fluoride

Badger Laboratories, Inc.

ID: 445023150

Neenah WI

Phone: (920) 729-1100

- Ignitability (Flashpoint), Pensky-Martens Closed Cup
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium
- Magnesium
- Magnesium
- Manganese
- Manganese
- Mercury
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite
- Orthophosphate
- Paint Filter Liquids Test
- Phenolics, Total
- Phosphorus, Total
- Potassium
- Potassium
- Reagent Water Shake Extraction (ASTM Leach)
- Residue, Total
- Selenium
- Selenium
- Silicon
- Silver
- Silver
- Sodium
- Sodium
- SPLP Extraction
- Strontium
- Strontium
- Sulfate
- Sulfate

Badger Laboratories, Inc.

ID: 445023150

Neenah WI

Phone: (920) 729-1100

- Sulfide
- TCLP Extraction
- Thallium
- Thallium
- Tin
- Titanium
- Titanium
- Vanadium
- Vanadium
- Zinc
- Zinc

Badger Laboratories, Inc. - Green Bay

ID: 405222620

Green Bay WI

Phone: (920) 729-1100

Matrix: Aqueous

[Cold Vapor Atomic Fluorescence Spectrophotometry \(CVAFS\)](#)

- Mercury, Low Level

Baileys Harbor WWTP

ID: 415016910

Baileys Harbor WI

Phone: (920) 839-2037

Matrix: Aqueous

[Oxygen Demand Assays \(BOD or cBOD\)](#)

- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Bayfield County Health Dept.

ID: 804075250

Washburn WI
Phone: (715) 373-6109

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

Boscobel Wastewater Treatment Plant

ID: 122001660

Boscobel WI
Phone: (608) 375-4150

Matrix: Aqueous

Gravimetric Assays - Residue (solids)

- Residue, Nonfilterable (TSS)

BPM, Inc.

ID: 438039250

Peshtigo WI
Phone: (715) 582-4551

Matrix: Aqueous

Oxygen Demand Assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Residue, Nonfilterable (TSS)

Branch River Testing Services LLC

ID: 405224600

Greenleaf WI
Phone: (920) 532-0016

Matrix: Drinking Water

Primary Inorganics Contaminants (Metals)

- Arsenic - SM 3113B

Branch River Testing Services LLC

ID: 405224600

Greenleaf WI
Phone: (920) 532-0016

- Nitrate - Hach Method 10206

Brandon Utilities

ID: 420004310

Brandon WI
Phone: (262) 346-5492

Matrix: Aqueous

Oxygen Demand Assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Residue, Nonfilterable (TSS)

Bristol Wastewater Treatment Plant

ID: 230002630

Bristol WI
Phone: (262) 857-9371

Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Brown County Public Health Department

ID: 405200070

Green Bay WI
Phone: (920) 448-6400

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

Brown County Public Health Department

ID: 405200070

Green Bay WI
Phone: (920) 448-6400

Burlington Water Pollution Control Facility

ID: 252002630

Burlington WI
Phone: (262) 539-3646

Matrix: Aqueous

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Cambridge/Oakland Wastewater Commis

ID: 113001570

Cambridge WI
Phone: (608) 423-4306

Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

City of Beloit Water Pollution Control

ID: 154001650

Beloit WI

Phone: (608) 364-2888

Matrix: Aqueous

[Colorimetric or Turbidimetric](#)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

City of Menomonie

ID: 617006720

Menomonie WI

Phone: (715) 232-2175

Matrix: Aqueous

[Titrimetric or Potentiometric Titration Assays](#)

- Alkalinity
- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chloride
- Hardness, Total as CaCO₃
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

City of Milwaukee Health Department Lab

ID: 241311290

Milwaukee WI

Phone: (414) 286-3526

Matrix: Drinking Water

[Primary Inorganics Contaminants \(Metals\)](#)

- Lead - SM 3113B

Clean Water Testing LLC

ID: 445126660

Appleton WI

Phone: (920) 733-7590

Matrix: Aqueous

[Inductively Coupled Plasma Emission Spectrophotometry \(ICP\)](#)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Hardness, Total as CaCO₃
- Iron
- Lead
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Nitrate + Nitrite
- Potassium
- Residue, Nonfilterable (TSS)
- Selenium
- Silver
- Sodium
- Strontium
- Sulfate
- Thallium
- Vanadium
- Zinc

Matrix: Drinking Water

Clean Water Testing LLC

ID: 445126660

Appleton WI

Phone: (920) 733-7590

[Secondary Inorganic Contaminants \(Non-Metals\)](#)

- Alkalinity - SM 2320B
- Antimony - SM 3113B
- Arsenic - SM 3113B
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Cadmium - EPA 200.7
- Chromium - EPA 200.7
- Copper - EPA 200.7
- Copper - SM 3113B
- Fluoride - EPA 300.0
- Lead - SM 3113B
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nitrate - SM 4500-NO₃ F
- Nitrate + Nitrite - SM 4500-NO₃ F
- Nitrite - SM 4500-NO₂ B
- pH - SM 4500-H+ B
- Selenium - SM 3113B
- Sodium - EPA 200.7
- Sulfate - EPA 300.0
- Thallium - EPA 200.9

Matrix: Non-Aqueous

[Inductively Coupled Plasma Emission Spectrophotometry \(ICP\)](#)

- Arsenic
- Barium
- Cadmium
- Chromium, Total
- Lead
- Mercury
- Selenium
- Silver

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Clintonville Wastewater Treatment Plant
ID: 469004800

Clintonville WI
Phone: (715) 823-7675

Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Commercial Testing Laboratory Inc.
ID: 617013980

Colfax WI
Phone: (715) 962-3121

Matrix: Aqueous

Colorimetric or Turbidimetric

- Alkalinity
- Aluminum
- Ammonia as N
- Ammonia as N
- Antimony
- Arsenic
- Barium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Cadmium
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Cyanide, Total
- Hardness, Total as CaCO3
- Iron
- Kjeldahl Nitrogen, Total
- Kjeldahl Nitrogen, Total

Commercial Testing Laboratory Inc.
ID: 617013980

Colfax WI
Phone: (715) 962-3121

- Lead
- Lead
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Orthophosphate
- pH
- Phosphorus, Total
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Silver
- Sodium
- Specific Conductance
- Sulfate
- Thallium
- Vanadium
- Zinc

Matrix: Drinking Water

Primary Inorganics Contaminants (Metals)

- Arsenic - EPA 200.9
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Cadmium - EPA 200.9
- Chromium - EPA 200.7
- Copper - EPA 200.7
- Cyanide - SM 4500-CN C, E
- Lead - EPA 200.9
- Mercury - EPA 245.2
- Nickel - EPA 200.7
- Nitrate - EPA 353.2

Commercial Testing Laboratory Inc.
ID: 617013980

Colfax WI
Phone: (715) 962-3121

- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 353.2
- Selenium - EPA 200.9
- Sodium - EPA 200.7
- Thallium - EPA 200.9

Matrix: Non-Aqueous

Titrimetric or Potentiometric Titration Assays

- Ammonia as N
- Arsenic
- Cadmium
- Calcium
- Chromium, Total
- Copper
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Mercury
- Molybdenum
- Nickel
- Phosphorus, Total
- Potassium
- Residue, Total
- Selenium
- Silver
- Sodium
- Zinc

CT Laboratories
ID: 157066030

Baraboo WI
Phone: (608) 356-2760

Matrix: Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PAH (group)
- ## PCB as AROCLORS (group)

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

CT Laboratories

ID: 157066030

Baraboo WI

Phone: (608) 356-2760

- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PVOC - Petroleum VOCs (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,3,5-Trinitrobenzene
- 1,3-Dinitrobenzene
- 2,4,6-Trinitrotoluene
- 2,4-Dinitrotoluene
- 2,6-Dinitrotoluene
- 2-Amino-4,6-dinitrotoluene
- 2-Nitrotoluene
- 3-Nitrotoluene
- 4-Amino-2,6-dinitrotoluene
- 4-Nitrotoluene
- Alkalinity
- Alkalinity
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Bromide
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Hexavalent
- Chromium, Total
- Cobalt
- Copper
- Cyanide, Total
- Diesel Range Organics (DRO)
- Ethylene Glycol
- Fluoride
- Gasoline Range Organics (GRO)

CT Laboratories

ID: 157066030

Baraboo WI

Phone: (608) 356-2760

- Hardness, Total as CaCO₃
- HMX
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Nitrobenzene
- Nitroglycerin
- Oil & Grease as HEM
- Organic Carbon, Total (TOC)
- Orthophosphate
- PETN (Pentaerythritol tetranitrate)
- pH
- Phosphorus, Total
- Potassium
- Propylene Glycol
- RDX
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Selenium
- Silica
- Silver
- Sodium
- Specific Conductance
- Strontium
- Sulfate
- Sulfide
- Thallium

CT Laboratories

ID: 157066030

Baraboo WI

Phone: (608) 356-2760

- Thallium
- Tin
- Turbidity
- Vanadium
- Zinc

Matrix: Drinking Water

Disinfection By-products

- ## THM (group) - EPA 524.2
- ## VOCS, REGULATED (group) - EPA 524.2
- ## VOCS, UNREGULATED (group) - EPA 524.2
- Alkalinity - SM 2320B
- Antimony - EPA 200.9
- Arsenic - EPA 200.9
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Cadmium - EPA 200.7
- Calcium - EPA 200.7
- Chloride - EPA 300.0
- Chromium - EPA 200.7
- Copper - EPA 200.7
- Cyanide - EPA 335.4
- Fluoride - EPA 300.0
- Iron - EPA 200.7
- Lead - EPA 200.9
- Magnesium - EPA 200.7
- Manganese - EPA 200.7
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0
- Selenium - EPA 200.9
- Silver - EPA 200.7
- Sodium - EPA 200.7
- Sulfate - EPA 300.0
- TDS (Total Dissolved Solids) - SM 2540C
- Thallium - EPA 200.9
- Zinc - EPA 200.7

Matrix: Non-Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

CT Laboratories

ID: 157066030

Baraboo WI

Phone: (608) 356-2760

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PVOC - Petroleum VOCs (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,3,5-Trinitrobenzene
- 1,3-Dinitrobenzene
- 2,4,6-Trinitrotoluene
- 2,4-Dinitrotoluene
- 2,6-Dinitrotoluene
- 2-Amino-4,6-dinitrotoluene
- 2-Nitrotoluene
- 3-Nitrotoluene
- 4-Amino-2,6-dinitrotoluene
- 4-Nitrotoluene
- Aluminum
- Ammonia as N
- Antimony
- Arsenic
- Arsenic
- Barium
- Beryllium
- Boron
- Bromide
- Cadmium
- Calcium
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Diesel Range Organics (DRO)
- Fluoride
- Gasoline Range Organics (GRO)
- HMX
- Ignitability (Flashpoint), Pensky-Martens Closed Cup
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead

CT Laboratories

ID: 157066030

Baraboo WI

Phone: (608) 356-2760

- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Nitrobenzene
- Nitroglycerin
- Organic Carbon, Total (TOC)
- Orthophosphate
- PETN (Pentaerythritol tetranitrate)
- pH
- Phosphorus, Total
- Potassium
- RDX
- Residue, Total
- Selenium
- Selenium
- Silver
- Sodium
- SPLP Extraction
- Strontium
- Sulfate
- TCLP Extraction
- Thallium
- Thallium
- Tin
- Vanadium
- Zinc

Culligan Analytical Laboratory

ID: 399016200

Rosemont IL

Phone: (847) 430-1219

Matrix: Drinking Water

Culligan Analytical Laboratory

ID: 399016200

Rosemont IL

Phone: (847) 430-1219

Secondary Inorganic Contaminants (Non-Metals)

- Alkalinity - SM 2320B
- Aluminum - EPA 200.7
- Aluminum - EPA 200.8
- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Calcium - EPA 200.7
- Chloride - EPA 300.0
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Fluoride - EPA 300.0
- Iron - EPA 200.7
- Lead - EPA 200.8
- Manganese - EPA 200.7
- Nickel - EPA 200.7
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0
- Selenium - EPA 200.8
- Silica - EPA 200.7
- Silver - EPA 200.8
- Sodium - EPA 200.7
- Sulfate - EPA 300.0
- Thallium - EPA 200.8
- Zinc - EPA 200.7

Dane - Iowa Wastewater Facility

ID: 313002470

Mazomanie WI

Phone: (608) 795-0024

Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Dane - Iowa Wastewater Facility

ID: 313002470

Mazomanie WI

Phone: (608) 795-0024

- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Davy Laboratories

ID: 632021390

La Crosse WI

Phone: (608) 782-3130

Matrix: Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## VOC - VOLATILE ORGANICS (group)
- Alkalinity
- Aluminum
- Ammonia as N
- Antimony
- Arsenic
- Arsenic
- Barium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Cadmium
- Cadmium
- Calcium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chloride
- Chlorine, Total Residual (TRC)
- Chlorophyll
- Chromium, Total
- Chromium, Total
- Cobalt
- Copper
- Copper

Davy Laboratories

ID: 632021390

La Crosse WI

Phone: (608) 782-3130

- Copper
- Fluoride
- Hardness, Total as CaCO₃
- Hardness, Total as CaCO₃
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium
- Magnesium
- Magnesium
- Manganese
- Manganese
- Mercury
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Oil & Grease as HEM, Silica Gel Treated (SGT)
- Orthophosphate
- pH
- Phosphorus, Total
- Potassium
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Selenium
- Silver
- Silver
- Sodium
- Sodium
- Strontium
- Sulfate

Davy Laboratories

ID: 632021390

La Crosse WI

Phone: (608) 782-3130

- Thallium
- Tin
- Titanium
- Vanadium
- Zinc
- Zinc

Matrix: Drinking Water

Disinfection By-products

- ## HALOACETIC ACIDS (5) - EPA 552.2
- ## THM (group) - EPA 524.2
- ## VOCS, REGULATED (group) - EPA 524.2
- 2,4-D - EPA 515.3
- Alkalinity - SM 2320B
- Aluminum - EPA 200.7
- Antimony - SM 3113B
- Arsenic - SM 3113B
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Beryllium - SM 3113B
- Cadmium - EPA 200.7
- Cadmium - SM 3113B
- Calcium - EPA 200.7
- Calcium - SM 3111B
- Chlordane - EPA 505
- Chloride - EPA 300.0
- Chlorine, Free - SM 4500-Cl G
- Chromium - EPA 200.7
- Chromium - SM 3113B
- Conductivity - SM 2510B
- Copper - EPA 200.7
- Copper - SM 3111B
- Copper - SM 3113B
- Dalapon - EPA 515.3
- Dicamba - EPA 515.3
- Dinoseb - EPA 515.3
- Fluoride - EPA 300.0
- Fluoride - SM 4500-F C
- Iron - EPA 200.7
- Iron - SM 3111B
- Lead - SM 3113B
- Magnesium - EPA 200.7

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Davy Laboratories
ID: 632021390

La Crosse WI
Phone: (608) 782-3130

- Magnesium - SM 3111 B
- Manganese - EPA 200.7
- Manganese - SM 3111B
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nickel - SM 3113B
- Nitrate - EPA 300.0
- Nitrate - SM 4500-NO3 D
- Nitrate + Nitrite - EPA 300.0
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 300.0
- Nitrite - SM 4500-NO2 B
- Orthophosphate - SM 4500-P E
- Pentachlorophenol - EPA 515.3
- pH - SM 4500-H+ B
- Picloram - EPA 515.3
- Selenium - SM 3113B
- Silver - EPA 200.7
- Silver - SM 3113B
- Silvex (2,4,5-TP) - EPA 515.3
- Sodium - EPA 200.7
- Sodium - SM 3111B
- Sulfate - EPA 300.0
- TDS (Total Dissolved Solids) - SM 2540C
- Thallium - EPA 200.9
- Toxaphene - EPA 505
- Turbidity - SM 2130B
- Zinc - EPA 200.7
- Zinc - SM 3111B

Matrix: Non-Aqueous

Inductively Coupled Plasma Emission Spectrophotometry (ICP)

- Aluminum
- Antimony
- Arsenic
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium

Davy Laboratories
ID: 632021390

La Crosse WI
Phone: (608) 782-3130

- Chloride
- Chromium, Hexavalent
- Chromium, Total
- Cobalt
- Copper
- Corrosivity, Liquids
- Iron
- Lead
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Phosphorus, Total
- Potassium
- Residue, Total
- Selenium
- Selenium
- Silver
- Sodium
- Strontium
- Sulfate
- Thallium
- Tin
- Titanium
- Vanadium
- Zinc

Eau Claire City-County Health Departmen
ID: 618019820

Eau Claire WI
Phone: (715) 839-4734

Matrix: Drinking Water

Disinfection By-products

- ## THM (group) - EPA 524.2
- ## VOCS, REGULATED (group) - EPA 524.2
- Arsenic - SM 3113B

Eau Claire City-County Health Departmen
ID: 618019820

Eau Claire WI
Phone: (715) 839-4734

- Copper - SM 3111B
- Lead - SM 3113B
- Nitrate - SM 4500-NO3 D

Matrix: Non-Aqueous

Flame Atomic Absorption Spectrophotometry (FLAA)

- Lead

Eau Claire Wastewater Treatment Facility
ID: 618006510

Eau Claire WI
Phone: (715) 839-6121

Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Cadmium
- Chromium, Total
- Copper
- Hardness, Total as CaCO3
- Lead
- Nickel
- Phosphorus, Total
- Residue, Nonfilterable (TSS)
- Silver
- Zinc

Environmental Consulting and Testing (E)
ID: 816079220

Superior WI
Phone: (715) 392-6635

Matrix: Aqueous

Whole Effluent Toxicity Assays

- Acute Toxicity - Ceriodaphnia dubia

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Environmental Consulting and Testing (E)

ID: 816079220

Superior WI

Phone: (715) 392-6635

- Acute Toxicity - Pimephales promelas
- Chronic Toxicity - Ceriodaphnia dubia
- Chronic Toxicity - Pimephales promelas
- Chronic Toxicity - Selenastrum capricornutum

Environmental Monitoring and Technolo

ID: 999888890

Des Plaines IL

Phone: (847) 967-6666

Matrix: Aqueous

[Gas Chromatography-Mass Spectrometry \(GC/MS\)](#)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,3,5-Trinitrobenzene
- 1,3-Dinitrobenzene
- 2,4,5-T
- 2,4,6-Trinitrotoluene
- 2,4-D
- 2,4-DB
- 2,4-Dinitrotoluene
- 2,6-Dinitrotoluene
- 2-Amino-4,6-dinitrotoluene
- 2-Nitrotoluene
- 3-Nitrotoluene
- 4-Amino-2,6-dinitrotoluene
- 4-Nitrotoluene
- Acidity as CaCO₃
- Alkalinity
- Aluminum
- Aluminum
- Ammonia as N
- Ammonia as N
- Antimony

Environmental Monitoring and Technolo

ID: 999888890

Des Plaines IL

Phone: (847) 967-6666

- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Boron
- Bromide
- Cadmium
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Cyanide, Available
- Cyanide, Total
- Dicamba
- Diesel Range Organics (DRO)
- Dinoseb (2-sec-butyl-4,6-Dinitrophenol)
- Ethanol
- Ethylene Glycol
- Fluoride
- Fluoride
- Gasoline Range Organics (GRO)
- Hardness, Total as CaCO₃
- HMX
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead

Environmental Monitoring and Technolo

ID: 999888890

Des Plaines IL

Phone: (847) 967-6666

- Magnesium
- Manganese
- Manganese
- MCPA
- MCPP (Mecoprop)
- Mercury
- Methanol
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Nitrite
- Nitrobenzene
- Nitroglycerin
- Oil & Grease as HEM
- Organic Carbon, Total (TOC)
- Orthophosphate
- Pentachlorophenol
- PETN (Pentaerythritol tetranitrate)
- pH
- Phenolics, Total
- Phosphorus, Total
- Potassium
- Potassium
- RDX
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Selenium
- Selenium
- Silver
- Silver
- Silvex (2,4,5-TP)
- Sodium
- Sulfate
- Sulfide
- Sulfide

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Environmental Monitoring and Technolo

ID: 999888890

Des Plaines IL

Phone: (847) 967-6666

- Sulfides, Acid-Soluble and Acid-Insoluble
- Tetryl
- Thallium
- Thallium
- Tin
- Tin
- Titanium
- Titanium
- Vanadium
- Vanadium
- Zinc
- Zinc

Matrix: Drinking Water

Primary Inorganics Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.8
- Copper - EPA 200.8
- Lead - EPA 200.8
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Thallium - EPA 200.8

Matrix: Non-Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,3,5-Trinitrobenzene
- 1,3-Dinitrobenzene
- 2,4,5-T
- 2,4,6-Trinitrotoluene
- 2,4-D
- 2,4-DB
- 2,4-Dinitrotoluene
- 2,6-Dinitrotoluene

Environmental Monitoring and Technolo

ID: 999888890

Des Plaines IL

Phone: (847) 967-6666

- 2-Amino-4,6-dinitrotoluene
- 2-Nitrotoluene
- 3-Nitrotoluene
- 4-Amino-2,6-dinitrotoluene
- 4-Nitrotoluene
- Aluminum
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Boron
- Boron
- Bromide
- Cadmium
- Cadmium
- Calcium
- Chloride
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Corrosivity, Liquids
- Cyanide, Available
- Cyanide, Total
- Dicamba
- Diesel Range Organics (DRO)
- Dinoseb (2-sec-butyl-4,6-Dinitrophenol)
- Ethanol
- Ethylene Glycol
- Fluoride
- Fluoride
- Gasoline Range Organics (GRO)

Environmental Monitoring and Technolo

ID: 999888890

Des Plaines IL

Phone: (847) 967-6666

- HMX
- Ignitability (Flashpoint), Pensky-Martens Closed Cup
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Magnesium
- Manganese
- Manganese
- MCPA
- MCPP (Mecoprop)
- Mercury
- Methanol
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Nitrite
- Nitrobenzene
- Nitroglycerin
- Organic Carbon, Total (TOC)
- Orthophosphate
- Paint Filter Liquids Test
- Pentachlorophenol
- PETN (Pentaerythritol tetranitrate)
- pH
- Phenolics, Total
- Phosphorus, Total
- Potassium
- Potassium
- RDX
- Residue, Total
- Selenium
- Selenium
- Silver
- Silver
- Silvex (2,4,5-TP)

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Environmental Monitoring and Technolo

ID: 999888890

Des Plaines IL

Phone: (847) 967-6666

- Sodium
- Sulfate
- Sulfide
- Sulfide
- Sulfides, Acid-Soluble and Acid-Insoluble
- TCLP Extraction
- Tetryl
- Thallium
- Thallium
- Tin
- Tin
- Titanium
- Titanium
- Vanadium
- Vanadium
- Zinc
- Zinc

Ephraim Wastewater Treatment Plant

ID: 415017240

Sister Bay WI

Phone: (920) 854-4991

Matrix: Aqueous

Oxygen Demand Assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

ESC - Pace Analytical National Center

ID: 998093910

Mt. Juliet TN

Phone: (615) 758-5858

Matrix: Aqueous

ESC - Pace Analytical National Center

ID: 998093910

Mt. Juliet TN

Phone: (615) 758-5858

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PAH (group)
- ## PAH (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PVOC - Petroleum VOCs (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,2-Dibromo-3-chloropropane (DBCP)
- 1,2-Dibromoethane (EDB)
- 2,4,5-T
- 2,4-D
- 2,4-DB
- Acidity as CaCO₃
- Alkalinity
- Aluminum
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Azinphos ethyl
- Azinphos methyl (Guthion)
- Barium
- Barium
- Beryllium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Bolstar
- Boron
- Boron
- Bromide
- Cadmium
- Cadmium
- Calcium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)

ESC - Pace Analytical National Center

ID: 998093910

Mt. Juliet TN

Phone: (615) 758-5858

- Chloride
- Chlorpyrifos
- Chromium, Hexavalent
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Cobalt
- Copper
- Copper
- Coumaphos
- Cyanide, Available
- Cyanide, Total
- Dalapon
- Diazinon
- Dicamba
- Dichlorprop (2,4-DP)
- Diesel Range Organics (DRO)
- Dimethoate
- Dinoseb (2-sec-butyl-4,6-Dinitrophenol)
- Disulfoton
- EPN
- Fensulfothion
- Fenthion
- Fluoride
- Gasoline Range Organics (GRO)
- Hardness, Total as CaCO₃
- Hardness, Total as CaCO₃
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium
- Magnesium
- Magnesium
- Malathion
- Manganese
- Manganese
- MCPA
- MCPP (Mecoprop)
- Mercury

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

ESC - Pace Analytical National Center
ID: 998093910

Mt. Juliet TN

Phone: (615) 758-5858

ESC - Pace Analytical National Center
ID: 998093910

Mt. Juliet TN

Phone: (615) 758-5858

ESC - Pace Analytical National Center
ID: 998093910

Mt. Juliet TN

Phone: (615) 758-5858

- Merphos
- Mevinphos
- Molybdenum
- Molybdenum
- Naled
- Naphthalene
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Organic Carbon, Total (TOC)
- Organic Halides, Total & Adsorbable (TOX AOX)
- Orthophosphate
- Parathion Methyl
- pH
- Phenolics, Total
- Phorate
- Phosphorus, Total
- Potassium
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Ronnel
- Selenium
- Selenium
- Silica
- Silicon
- Silver
- Silver
- Silvex (2,4,5-TP)
- Sodium
- Sodium
- Specific Conductance
- Strontium
- Sulfate
- Sulfide
- Sulfotepp (Tetraethyl dithiopyrophosphate)

- Surfactants
- TEPP (Tetraethyl pyrophosphate)
- Thallium
- Thallium
- Tin
- Titanium
- Tokuthion (Prothiofos)
- Trichloronate
- Vanadium
- Vanadium
- Zinc
- Zinc

Matrix: Non-Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PAH (group)
- ## PAH (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PVOC - Petroleum VOCs (group)
- ## VOC - VOLATILE ORGANICS (group)
- 2,4,5-T
- 2,4-D
- 2,4-DB
- Aluminum
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Azinphos methyl (Guthion)
- Barium
- Barium
- Beryllium
- Beryllium
- Bolstar
- Boron
- Boron
- Bromide

- Cadmium
- Cadmium
- Calcium
- Calcium
- Chloride
- Chlorpyrifos
- Chlorpyrifos Methyl
- Chromium, Hexavalent
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Cobalt
- Copper
- Copper
- Corrosivity, Liquids
- Coumaphos
- Cyanide, Available
- Cyanide, Total
- Dalapon
- Diazinon
- Dicamba
- Dichlorprop (2,4-DP)
- Diesel Range Organics (DRO)
- Dimethoate
- Dinoseb (2-sec-butyl-4,6-Dinitrophenol)
- Disulfoton
- EPN
- Fensulfothion
- Fenthion
- Fluoride
- Gasoline Range Organics (GRO)
- Ignitability (Flashpoint), Pensky-Martens Closed Cup
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium
- Magnesium
- Magnesium
- Malathion

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

ESC - Pace Analytical National Center
ID: 998093910

Mt. Juliet TN
Phone: (615) 758-5858

- Manganese
- Manganese
- MCPA
- MCPP (Mecoprop)
- Mercury
- Merphos
- Methamidophos
- Mevinphos
- Molybdenum
- Molybdenum
- Naled
- Naphthalene
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite
- Organic Halides, Total (TOX)
- Orthophosphate
- Paint Filter Liquids Test
- Parathion Methyl
- pH
- Phenolics, Total
- Phorate
- Phosphorus, Total
- Phosphorus, Total
- Potassium
- Potassium
- Residue, Total
- Ronnel
- Selenium
- Selenium
- Silicon
- Silver
- Silver
- Silvex (2,4,5-TP)
- Sodium
- Sodium
- Specific Conductance
- SPLP Extraction

ESC - Pace Analytical National Center
ID: 998093910

Mt. Juliet TN
Phone: (615) 758-5858

- Strontium
- Sulfate
- Sulfide
- Sulfotepp (Tetraethyl dithiopyrophosphate)
- TCLP Extraction
- TEPP (Tetraethyl pyrophosphate)
- Thallium
- Thallium
- Tin
- Titanium
- Tokuthion (Prothiofos)
- Trichloronate
- Vanadium
- Vanadium
- Zinc
- Zinc

Eurofins Buffalo
ID: 998310390

Amherst NY
Phone: (716) 691-2600

- Barium
- Barium
- Beryllium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Bromide
- Cadmium
- Cadmium
- Calcium
- Chemical Oxygen Demand (COD)
- Chloride
- Chloride
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Cyanide, Total
- Diallate (cis and trans)
- Dimethoate
- Disulfoton
- Famphur
- Fluoride
- Fluoride
- Hardness, Total as CaCO3
- Hardness, Total as CaCO3
- Iron
- Isodrin
- Kepone
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Magnesium
- Manganese
- Manganese
- Mercury
- Molybdenum
- Molybdenum

Eurofins Buffalo

ID: 998310390

Amherst NY
Phone: (716) 691-2600

Matrix: Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- Alkalinity
- Alkalinity
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Atrazine

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Eurofins Buffalo
ID: 998310390

Amherst NY
Phone: (716) 691-2600

- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Organic Carbon, Total (TOC)
- Orthophosphate
- Parathion (Parathion Ethyl)
- Parathion Methyl
- Pentachloronitrobenzene (PCNB)
- pH
- Phenolics, Total
- Phorate
- Phosphorus, Total
- Potassium
- Pronamide
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Selenium
- Silver
- Silver
- Sodium
- Specific Conductance
- Sulfate
- Sulfate
- Sulfide
- Sulfotep (Tetraethyl dithiopyrophosphate)
- Surfactants
- Thallium
- Thallium
- Thionazin (O,O-Diethyl O-2-pyrazinyl phosphorothioate)
- Tin
- Vanadium
- Vanadium
- Zinc
- Zinc

Eurofins Buffalo
ID: 998310390

Amherst NY
Phone: (716) 691-2600

Matrix: Non-Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Ammonia as N
- Antimony
- Arsenic
- Atrazine
- Barium
- Beryllium
- Boron
- Bromide
- Cadmium
- Calcium
- Chloride
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Cyanide, Total
- Diolate (cis and trans)
- Dimethoate
- Disulfoton
- Famphur
- Fluoride
- Iron
- Isodrin
- Kepone
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Nitrate + Nitrite
- Nitrite

Eurofins Buffalo
ID: 998310390

Amherst NY
Phone: (716) 691-2600

- Organic Carbon, Total (TOC)
- Parathion (Parathion Ethyl)
- Parathion Methyl
- Pentachloronitrobenzene (PCNB)
- pH
- Phenolics, Total
- Phorate
- Potassium
- Pronamide
- Residue, Total
- Selenium
- Silver
- Sodium
- Specific Conductance
- SPLP Extraction
- Sulfate
- Sulfate
- Sulfotep (Tetraethyl dithiopyrophosphate)
- TCLP Extraction
- Thallium
- Thionazin (O,O-Diethyl O-2-pyrazinyl phosphorothioate)
- Tin
- Vanadium
- Zinc

Eurofins Burlington
ID: 399140830

South Burlington VT
Phone: (802) 660-1990

Matrix: Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Antimony

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Eurofins Burlington

ID: 399140830

South Burlington VT

Phone: (802) 660-1990

- Arsenic
- Barium
- Beryllium
- Cadmium
- Calcium
- Chromium, Total
- Cobalt
- Copper
- Iron
- Lead
- Magnesium
- Manganese
- Mercury
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Thallium
- Vanadium
- Zinc

Matrix: Non-Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Calcium
- Chromium, Total
- Cobalt
- Copper
- Iron
- Lead
- Magnesium
- Manganese

Eurofins Burlington

ID: 399140830

South Burlington VT

Phone: (802) 660-1990

- Mercury
- Nickel
- Potassium
- Selenium
- Silver
- Sodium
- Thallium
- Vanadium
- Zinc

Eurofins Chicago

ID: 999580010

University Park IL

Phone: (708) 534-5200

Matrix: Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- 2,4,5-T
- 2,4-D
- 2,4-DB
- Alkalinity
- Aluminum
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Biochemical Oxygen Demand (BOD)

Eurofins Chicago

ID: 999580010

University Park IL

Phone: (708) 534-5200

- Boron
- Boron
- Bromide
- Cadmium
- Cadmium
- Calcium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chloride
- Chlorine, Total Residual (TRC)
- Chromium, Hexavalent
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Cyanide, Available
- Cyanide, Total
- Dalapon
- Diallate (cis and trans)
- Dicamba
- Dichlorprop (2,4-DP)
- Diesel Range Organics (DRO)
- Dinoseb (2-sec-butyl-4,6-Dinitrophenol)
- Fluoride
- Fluoride
- Gasoline Range Organics (GRO)
- Hardness, Total as CaCO₃
- Iron
- Iron
- Kepone
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Magnesium
- Magnesium
- Manganese

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Eurofins Chicago

ID: 999580010

University Park IL

Phone: (708) 534-5200

- Manganese
- Mercury
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Nitrite
- Oil & Grease as HEM
- Oil & Grease as HEM, Silica Gel Treated (SGT)
- Organic Carbon, Total (TOC)
- Orthophosphate
- Orthophosphate
- Oxygen, Dissolved
- Pentachloronitrobenzene (PCNB)
- Pentachlorophenol
- pH
- Phenolics, Total
- Phosphorus, Total
- Picloram
- Potassium
- Potassium
- Pronamide
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Settleable
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Selenium
- Silica
- Silver
- Silver
- Silvex (2,4,5-TP)
- Sodium
- Sodium
- Specific Conductance

Eurofins Chicago

ID: 999580010

University Park IL

Phone: (708) 534-5200

- Strontium
- Strontium
- Sulfate
- Sulfate
- Sulfide
- Sulfides, Acid-Soluble and Acid-Insoluble
- Thallium
- Thallium
- Tin
- Tin
- Titanium
- Titanium
- Vanadium
- Vanadium
- Zinc
- Zinc

Matrix: Non-Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- 2,4,5-T
- 2,4-D
- 2,4-DB
- Aluminum
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Boron
- Boron
- Bromide
- Cadmium

Eurofins Chicago

ID: 999580010

University Park IL

Phone: (708) 534-5200

- Cadmium
- Calcium
- Calcium
- Chemical Oxygen Demand (COD)
- Chloride
- Chloride
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Corrosivity, Liquids
- Cyanide, Available
- Cyanide, Total
- Dalapon
- Diallate (cis and trans)
- Dicamba
- Dichlorprop (2,4-DP)
- Diesel Range Organics (DRO)
- Dinoseb (2-sec-butyl-4,6-Dinitrophenol)
- Fluoride
- Fluoride
- Gasoline Range Organics (GRO)
- Ignitability (Flashpoint), Pensky-Martens Closed Cup
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Magnesium
- Magnesium
- Manganese
- Manganese
- Mercury
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Eurofins Chicago

ID: 999580010

University Park IL

Phone: (708) 534-5200

- Nitrate
- Nitrate + Nitrite
- Nitrite
- Nitrite
- Organic Carbon, Total (TOC)
- Orthophosphate
- Orthophosphate
- Paint Filter Liquids Test
- Pentachlorophenol
- pH
- Phenolics, Total
- Phosphorus, Total
- Picloram
- Potassium
- Potassium
- Reagent Water Shake Extraction (ASTM Leach)
- Residue, Total
- Residue, Volatile (TVS)
- Selenium
- Selenium
- Silver
- Silver
- Silvex (2,4,5-TP)
- Sodium
- Sodium
- Specific Conductance
- SPLP Extraction
- Strontium
- Strontium
- Sulfate
- Sulfate
- Sulfide
- Sulfides, Acid-Soluble and Acid-Insoluble
- TCLP Extraction
- Thallium
- Thallium
- Tin
- Tin
- Titanium
- Titanium
- Vanadium

Eurofins Chicago

ID: 999580010

University Park IL

Phone: (708) 534-5200

- Vanadium
- Zinc
- Zinc

Eurofins Denver

ID: 999615430

Arvada CO

Phone: (800) 572-8958

- Cadmium
- Carbophenothion
- Chemical Oxygen Demand (COD)
- Chloride
- Chlorpyrifos
- Chromium, Hexavalent
- Chromium, Total
- Cobalt
- Copper
- Coumaphos
- Cyanide, Available
- Cyanide, Total
- Demeton-O
- Demeton-S
- Diazinon
- Dichlorvos (DDVP)
- Dimethoate
- Disulfoton
- EPN
- Ethoprop
- Famphur
- Fensulfothion
- Fenthion
- Fluoride
- Hardness, Total as CaCO₃
- HMX
- Lead
- Malathion
- Manganese
- Mercury
- Merphos
- Mevinphos
- Molybdenum
- Naled
- Nickel
- Nitrate
- Nitrate
- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite
- Nitrite

Eurofins Denver

ID: 999615430

Arvada CO

Phone: (800) 572-8958

Matrix: Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PAH (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,3,5-Trinitrobenzene
- 1,3-Dinitrobenzene
- 2,4,6-Trinitrotoluene
- 2,4-Diamino-6-nitrotoluene
- 2,4-Dinitrotoluene
- 2,6-Dinitrotoluene
- 2-Amino-4,6-dinitrotoluene
- 2-Nitrotoluene
- 3-Nitrotoluene
- 4-Amino-2,6-dinitrotoluene
- 4-Nitrotoluene
- Alkalinity
- Ammonia as N
- Antimony
- Arsenic
- Atrazine
- Azinphos ethyl
- Azinphos methyl (Guthion)
- Barium
- Beryllium
- Bolstar
- Bromide

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Eurofins Denver

ID: 999615430

Arvada CO

Phone: (800) 572-8958

- Nitrobenzene
- Nitroglycerin
- Oil & Grease as HEM
- Organic Carbon, Total (TOC)
- Organic Halides, Total & Adsorbable (TOX AOX)
- Orthophosphate
- Orthophosphate
- Parathion (Parathion Ethyl)
- Parathion Methyl
- PETN (Pentaerythritol tetranitrate)
- pH
- Phenolics, Total
- Phorate
- Phosmet (Imidan)
- Phosphorus, Total
- Picric Acid (Trinitrophenol)
- RDX
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile, Nonfilterable (TVSS)
- Ronnel
- Selenium
- Silver
- Specific Conductance
- Sulfate
- Sulfide
- Sulfide
- Sulfides, Acid-Soluble and Acid-Insoluble
- Sulfite
- Sulfotepp (Tetraethyl dithiopyrophosphate)
- Tetryl
- Thallium
- Thionazin (O,O-Diethyl O-2-pyrazinyl phosphorothioate)
- Tin
- Tokuthion (Prothiofos)
- Trichloronate
- Turbidity
- Vanadium
- Zinc

Eurofins Denver

ID: 999615430

Arvada CO

Phone: (800) 572-8958

Matrix: Non-Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PAH (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,3,5-Trinitrobenzene
- 1,3-Dinitrobenzene
- 2,4,6-Trinitrotoluene
- 2,4-Diamino-6-nitrotoluene
- 2,4-Dinitrotoluene
- 2,6-Dinitrotoluene
- 2-Amino-4,6-dinitrotoluene
- 2-Nitrotoluene
- 3-Nitrotoluene
- 4-Amino-2,6-dinitrotoluene
- 4-Nitrotoluene
- Atrazine
- Azinphos ethyl
- Azinphos methyl (Guthion)
- Bolstar
- Bromide
- Carbophenothion
- Chloride
- Chlorpyrifos
- Corrosivity, Liquids
- Coumaphos
- Cyanide, Total
- Demeton-O
- Demeton-S
- Diazinon
- Dichlorvos (DDVP)
- Dimethoate
- Disulfoton
- EPN
- Ethoprop
- Famphur
- Fensulfothion
- Fenthion
- Fluoride

Eurofins Denver

ID: 999615430

Arvada CO

Phone: (800) 572-8958

- HMX
- Ignitability (Flashpoint), Pinsky-Martens Closed Cup
- Malathion
- Mercury
- Merphos
- Mevinphos
- Naled
- Nitrate
- Nitrate
- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite
- Nitrite
- Nitrobenzene
- Nitroglycerin
- Organic Carbon, Total (TOC)
- Orthophosphate
- Parathion (Parathion Ethyl)
- Parathion Methyl
- PETN (Pentaerythritol tetranitrate)
- pH
- Phorate
- Phosmet (Imidan)
- Picric Acid (Trinitrophenol)
- RDX
- Residue, Total
- Ronnel
- Specific Conductance
- SPLP Extraction
- Sulfate
- Sulfides, Acid-Soluble and Acid-Insoluble
- Sulfotepp (Tetraethyl dithiopyrophosphate)
- TCLP Extraction
- Tetryl
- Thionazin (O,O-Diethyl O-2-pyrazinyl phosphorothioate)
- Tokuthion (Prothiofos)
- Trichloronate

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Eurofins Eaton Analytical, LLC - Indiana
ID: 999766900

South Bend IN

Phone: (574) 233-4777

Eurofins Eaton Analytical, LLC - Indiana
ID: 999766900

South Bend IN

Phone: (574) 233-4777

Eurofins Eaton Analytical, LLC - Indiana
ID: 999766900

South Bend IN

Phone: (574) 233-4777

Matrix: Drinking Water

Disinfection By-products

- ## HALOACETIC ACIDS (5) - EPA 552.2
- ## HALOACETIC ACIDS (5) - EPA 552.3
- ## PFAS (group) - EPA 537.1 (18)
- ## THM (group) - EPA 524.2
- ## THM (group) - EPA 524.3
- ## THM (group) - EPA 551.1
- ## VOCS, REGULATED (group) - EPA 524.2
- ## VOCS, UNREGULATED (group) - EPA 524.2
- 1,2,3-Trichloropropane - EPA 524.3
- 2,4-D - EPA 515.3
- 3-Hydroxycarbofuran - EPA 531.2
- Alachlor - EPA 525.2
- Aldicarb - EPA 531.2
- Aldicarb Sulfone - EPA 531.2
- Aldicarb Sulfoxide - EPA 531.2
- Aldrin - EPA 525.2
- Alkalinity - SM 2320B
- Aluminum - EPA 200.8
- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Atrazine - EPA 525.2
- Barium - EPA 200.8
- Benzo[a]pyrene - EPA 525.2
- Beryllium - EPA 200.8
- Bromate - EPA 300.1
- Bromate - EPA 317.0 Rev. 2.0
- Bromide - EPA 300.0
- Butachlor - EPA 525.2
- Cadmium - EPA 200.8
- Calcium - EPA 200.7
- Carbaryl - EPA 531.2
- Carbofuran - EPA 531.2
- Chlordane - EPA 505
- Chloride - EPA 300.0
- Chlorine, Free - SM 4500-Cl G
- Chlorine, Total - SM 4500-Cl G
- Chlorite - EPA 300.0
- Chromium - EPA 200.8

- Conductivity - SM 2510B
- Copper - EPA 200.8
- Cyanide - EPA 335.4
- Dalapon - EPA 515.3
- Di(2-ethylhexyl)adipate - EPA 525.2
- Di(2-ethylhexyl)phthalate - EPA 525.2
- Dibromochloropropane (DBCP) - EPA 504.
- Dibromochloropropane (DBCP) - EPA 524.
- Dicamba - EPA 515.3
- Dieldrin - EPA 525.2
- Dinoseb - EPA 515.3
- Diquat - EPA 549.2
- Diss. Org. Carbon (DOC) - SM5310C
- Endothall - EPA 548.1
- Endrin - EPA 525.2
- Ethylene Dibromide (EDB) - EPA 504.1
- Ethylene Dibromide (EDB) - EPA 524.3
- Fluoride - EPA 300.0
- Fluoride - SM 4500-F C
- Glyphosate - EPA 547
- Heptachlor - EPA 525.2
- Heptachlor epoxide - EPA 525.2
- Hexachlorobenzene - EPA 525.2
- Hexachlorocyclopentadiene - EPA 525.2
- Iron - EPA 200.7
- Lead - EPA 200.8
- Lindane (gamma-BHC) - EPA 525.2
- Magnesium - EPA 200.7
- Manganese - EPA 200.8
- Mercury - EPA 245.1
- Methomyl - EPA 531.2
- Methoxychlor - EPA 525.2
- Metolachlor - EPA 525.2
- Metribuzin - EPA 525.2
- Nickel - EPA 200.8
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 353.2
- Orthophosphate - SM 4500-P E
- Oxamyl (Vydate) - EPA 531.2

- PCBs (as Aroclors) Screening - EPA 505
- Pentachlorophenol - EPA 515.3
- pH - EPA 150.1
- Picloram - EPA 515.3
- Propachlor - EPA 525.2
- Selenium - EPA 200.8
- Silica - EPA 200.7
- Silver - EPA 200.8
- Silvex (2.4.5-TP) - EPA 515.3
- Simazine - EPA 525.2
- Sodium - EPA 200.7
- Sulfate - EPA 300.0
- SUVA (calc.) - EPA 415.3
- TDS (Total Dissolved Solids) - SM 2540C
- Thallium - EPA 200.8
- Total Organic Carbon (TOC) - SM5310C
- Toxaphene - EPA 505
- Turbidity - EPA 180.1
- UV254 - SM5910B
- Zinc - EPA 200.8

Eurofins Environment Testing Northwest,
ID: 399133460

Tacoma WA

Phone: (253) 922-2310

Matrix: Aqueous

Cold Vapor Atomic Fluorescence Spectrophotometry (CVAFS)

- Mercury, Low Level

Matrix: Non-Aqueous

Cold Vapor Atomic Fluorescence Spectrophotometry (CVAFS)

- Mercury

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Eurofins Knoxville
ID: 998044300

Knoxville TN
Phone: (865) 291-3000

Matrix: Aqueous

[High Resolution Gas Chromatography-Mass Spectrometry \(HRGC/MS\)](#)

- ## DIOXINS & FURANS (group)
- ## PCB CONGENERS (group)

Matrix: Non-Aqueous

[High Resolution Gas Chromatography-Mass Spectrometry \(HRGC/MS\)](#)

- ## DIOXINS & FURANS (group)
- ## PCB CONGENERS (group)

Eurofins Pittsburgh
ID: 998027800

Pittsburgh PA
Phone: (412) 963-7058

Matrix: Aqueous

[Gas Chromatography-Mass Spectrometry \(GC/MS\)](#)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium, Total
- Cobalt
- Copper
- Cyanide, Available
- Cyanide, Total
- Iron
- Lead
- Magnesium

Eurofins Pittsburgh
ID: 998027800

Pittsburgh PA
Phone: (412) 963-7058

- Manganese
- Mercury
- Molybdenum
- Nickel
- pH
- Potassium
- Selenium
- Silicon
- Silver
- Sodium
- Strontium
- Thallium
- Tin
- Titanium
- Vanadium
- Zinc

Matrix: Non-Aqueous

[Gas Chromatography-Mass Spectrometry \(GC/MS\)](#)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium, Total
- Cobalt
- Copper
- Cyanide, Total
- Iron
- Lead
- Lithium
- Magnesium
- Manganese
- Mercury

Eurofins Pittsburgh
ID: 998027800

Pittsburgh PA
Phone: (412) 963-7058

- Molybdenum
- Nickel
- Paint Filter Liquids Test
- pH
- Potassium
- Selenium
- Silicon
- Silver
- Sodium
- Strontium
- TCLP Extraction
- Thallium
- Tin
- Titanium
- Vanadium
- Zinc

Eurofins Sacramento
ID: 998204680

West Sacramento CA
Phone: (916) 373-5600

Matrix: Aqueous

[Liquid Chromatography-Mass Spectrometry \(LC/MS\)](#)

- ## PFAS (group)

Matrix: Drinking Water

[SOC - Miscellaneous](#)

- ## PFAS (group) – EPA 537.1 (18)

Matrix: Non-Aqueous

[Liquid Chromatography-Mass Spectrometry \(LC/MS\)](#)

- ## PFAS (group)

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Eurofins Savannah

ID: 999819810

Savannah GA

Phone: (912) 354-7858

Matrix: Aqueous

Nondispersive Infrared (NDIR) or Microcoulometry

- Organic Halides, Total & Adsorbable (TOX AOX)

Eurofins S-F Analytical Laboratories Inc.

ID: 241249360

New Berlin WI

Phone: (262) 754-5300

Matrix: Aqueous

Titrimetric or Potentiometric Titration Assays

- Alkalinity
- Aluminum
- Ammonia as N
- Antimony
- Arsenic
- Barium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Bromide
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Fluoride
- Hardness, Total as CaCO₃
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese

Eurofins S-F Analytical Laboratories Inc.

ID: 241249360

New Berlin WI

Phone: (262) 754-5300

- Molybdenum
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Oil & Grease as HEM, Silica Gel Treated (SGT)
- Orthophosphate
- Phosphorus, Total
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Selenium
- Silver
- Sodium
- Strontium
- Sulfate
- Thallium
- Tin
- Vanadium
- Zinc

Matrix: Drinking Water

Primary Inorganics Contaminants (Metals)

- Arsenic - EPA 200.8
- Copper - EPA 200.8
- Lead - EPA 200.8
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

Matrix: Non-Aqueous

Inductively Coupled Plasma Emission Spectrophotometry (ICP)

- Aluminum
- Ammonia as N
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron

Eurofins S-F Analytical Laboratories Inc.

ID: 241249360

New Berlin WI

Phone: (262) 754-5300

- Bromide
- Cadmium
- Calcium
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Fluoride
- Ignitability (Flashpoint), Setaflash Closed Cup
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Orthophosphate
- Phosphorus, Total
- Potassium
- Residue, Total
- Selenium
- Silver
- Sodium
- Strontium
- Sulfate
- Thallium
- Tin
- Vanadium
- Zinc

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Fond du Lac Regional WW Treatment Facility
ID: 420004860

Fond du Lac WI
Phone: (920) 322-3665

Matrix: Aqueous

[Electrometric Assays \(ISE\)](#)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Orthophosphate
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Frontier Analytical Laboratory
ID: 399023900

El Dorado Hills CA
Phone: (916) 934-0900

Matrix: Aqueous

[High Resolution Gas Chromatography-Mass Spectrometry \(HRGC/MS\)](#)

- ## DIOXINS & FURANS (group)

Matrix: Non-Aqueous

[High Resolution Gas Chromatography-Mass Spectrometry \(HRGC/MS\)](#)

- ## DIOXINS & FURANS (group)
- ## PCB CONGENERS (group)

GBMSD (New Water) Laboratory and Res
ID: 405004600

Green Bay WI
Phone: (920) 432-4893

Matrix: Aqueous

[Titrimetric or Potentiometric Titration Assays](#)

- Alkalinity
- Aluminum
- Ammonia as N
- Antimony

GBMSD (New Water) Laboratory and Res
ID: 405004600

Green Bay WI
Phone: (920) 432-4893

- Arsenic
- Barium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Bromide
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chlorine, Total Residual (TRC)
- Chromium, Total
- Copper
- Cyanide, Available
- Cyanide, Total
- Fluoride
- Hardness, Total as CaCO₃
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese
- Mercury
- Mercury, Low Level
- Molybdenum
- Nickel
- Nitrate
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Nitrite
- Orthophosphate
- Orthophosphate
- pH
- Phosphorus, Total
- Potassium
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium

GBMSD (New Water) Laboratory and Res
ID: 405004600

Green Bay WI
Phone: (920) 432-4893

- Silver
- Sodium
- Sulfate
- Thallium
- Zinc

Matrix: Non-Aqueous

[Inductively Coupled Plasma Emission Spectrophotometry \(ICP\)](#)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Calcium
- Chromium, Total
- Copper
- Iron
- Lead
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Potassium
- Residue, Total
- Selenium
- Silver
- Sodium
- Thallium
- Zinc

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

GEL Laboratories, LLC
ID: 999887790

Charleston SC
Phone: (843) 556-8171

Matrix: Aqueous

[Liquid Chromatography-Mass Spectrometry \(LC/MS\)](#)

- ## PFAS (group)

Matrix: Drinking Water

[SOC - Miscellaneous](#)

- ## PFAS (group) – EPA 537.1 (18)

Matrix: Non-Aqueous

[Liquid Chromatography-Mass Spectrometry \(LC/MS\)](#)

- ## PFAS (group)

Genoa City Sewage Treatment Plant
ID: 265003530

Genoa City WI
Phone: (262) 279-5728

Matrix: Aqueous

[Electrometric Assays \(ISE\)](#)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Hilbert Wastewater Treatment Plant
ID: 408004520

Hilbert WI
Phone: (920) 853-3241

Matrix: Aqueous

[Colorimetric or Turbidimetric](#)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Infrastructure Alternatives
ID: 998262430

Menominee MI
Phone: (906) 863-3050

Matrix: Aqueous

[Oxygen Demand Assays \(BOD or cBOD\)](#)

- Biochemical Oxygen Demand (BOD)
- Residue, Nonfilterable (TSS)

Iron County Health Department
ID: 826005950

Hurley WI
Phone: (715) 561-2191

Matrix: Drinking Water

[Primary Inorganics Contaminants \(Non-Metals\)](#)

- Nitrate - Hach Method 10206

Jackson County Public Health Water Lab
ID: 627062810

Black River Falls WI
Phone: (715) 284-4301

Matrix: Drinking Water

[Primary Inorganics Contaminants \(Non-Metals\)](#)

- Nitrate - Hach Method 10206
- Nitrate + Nitrite - Hach Method 10206

Kenosha County Division of Health Lab
ID: 230153220

Kenosha WI
Phone: (262) 605-6705

Matrix: Drinking Water

[Primary Inorganics Contaminants \(Non-Metals\)](#)

Kenosha County Division of Health Lab
ID: 230153220

Kenosha WI
Phone: (262) 605-6705

- Nitrate - Hach Method 10206

Kenosha Water Utility - WPC
ID: 230002960

Kenosha WI
Phone: (262) 653-4335

Matrix: Drinking Water

[Primary Inorganics Contaminants \(Metals\)](#)

- Lead - SM 3113B

Kewaskum Wastewater Treatment Facility
ID: 267003330

Kewaskum WI
Phone: (262) 626-2313

Matrix: Aqueous

[Colorimetric or Turbidimetric](#)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Chloride
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Kewaunee Wastewater Treatment Plant
ID: 431004640

Kewaunee WI
Phone: (920) 388-5012

Matrix: Aqueous

[Electrometric Assays \(ISE\)](#)

- Ammonia as N

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Kewaunee Wastewater Treatment Plant
ID: 431004640

Kewaunee WI
Phone: (920) 388-5012

- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Kohler Co., CHEM Lab
ID: 460032870

Kohler WI
Phone: (920) 457-4441

Matrix: Aqueous

Colorimetric or Turbidimetric

- Alkalinity
- Alkalinity
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Cadmium
- Cadmium
- Calcium
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Total
- Chromium, Total
- Copper
- Copper
- Cyanide, Total
- Fluoride
- Hardness, Total as CaCO₃
- Hardness, Total as CaCO₃
- Iron
- Iron
- Lead

Kohler Co., CHEM Lab
ID: 460032870

Kohler WI
Phone: (920) 457-4441

- Lead
- Magnesium
- Manganese
- Manganese
- Mercury
- Mercury
- Nickel
- Nickel
- Nitrate
- Nitrate
- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite
- Nitrite
- Oil & Grease as HEM
- Orthophosphate
- Phenolics, Total
- Phosphorus, Total
- Potassium
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Selenium
- Selenium
- Silver
- Silver
- Sodium
- Sodium
- Sulfate
- Zinc
- Zinc

Matrix: Drinking Water

Primary Inorganics Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chloride - EPA 300.0
- Chromium - EPA 200.8

Kohler Co., CHEM Lab
ID: 460032870

Kohler WI
Phone: (920) 457-4441

- Copper - EPA 200.8
- Fluoride - EPA 300.0
- Lead - EPA 200.8
- Mercury - EPA 200.8
- Nickel - EPA 200.8
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 300.0
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 300.0
- Nitrite - EPA 353.2
- Selenium - EPA 200.8
- Sulfate - EPA 300.0
- Thallium - EPA 200.8

Matrix: Non-Aqueous

Inductively Coupled Plasma Emission Spectrophotometry (ICP)

- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Cadmium
- Cadmium
- Calcium
- Chloride
- Chromium, Total
- Chromium, Total
- Copper
- Copper
- Fluoride
- Ignitability (Flashpoint), Pinsky-Martens Closed Cup
- Iron
- Iron
- Lead
- Lead
- Magnesium
- Manganese

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Kohler Co., CHEM Lab

ID: 460032870

Kohler WI

Phone: (920) 457-4441

- Manganese
- Mercury
- Mercury
- Nickel
- Nickel
- Nitrate
- Nitrite
- Potassium
- Potassium
- Reagent Water Shake Extraction (ASTM Leach)
- Residue, Total
- Selenium
- Selenium
- Silver
- Silver
- Sodium
- Sodium
- Sulfate
- TCLP Extraction
- Zinc
- Zinc

Laboratory Services (We Energies)

ID: 241329000

Milwaukee WI

Phone: (414) 221-2828

Matrix: Aqueous

Titrimetric or Potentiometric Titration Assays

- Alkalinity
- Aluminum
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Beryllium

Laboratory Services (We Energies)

ID: 241329000

Milwaukee WI

Phone: (414) 221-2828

- Beryllium
- Boron
- Cadmium
- Cadmium
- Calcium
- Chloride
- Chromium, Hexavalent
- Chromium, Total
- Cobalt
- Copper
- Copper
- Fluoride
- Hardness, Total as CaCO₃
- Iron
- Lead
- Lead
- Lithium
- Magnesium
- Manganese
- Mercury, Low Level
- Molybdenum
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Phosphorus, Total
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Selenium
- Selenium
- Silver
- Sodium
- Strontium
- Sulfate
- Thallium
- Thallium
- Tin
- Vanadium
- Zinc

Laboratory Services (We Energies)

ID: 241329000

Milwaukee WI

Phone: (414) 221-2828

Matrix: Non-Aqueous

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)

Lab-Tech Services

ID: 734044960

Deerbrook WI

Phone: (715) 623-6281

Matrix: Aqueous

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Chloride
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

LaCrosse Public Health Laboratory

ID: 632072980

LaCrosse WI

Phone: (608) 785-9733

Matrix: Aqueous

Colorimetric or Turbidimetric

- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Matrix: Drinking Water

Primary Inorganics Contaminants (Metals)

- Arsenic - SM 3113B
- Lead - SM 3113B
- Nitrate - SM 4500-NO₃ D

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Lake Superior Research Institute (LSRI)
ID: 816003540

Superior WI
Phone: (715) 394-8160

Matrix: Aqueous

Whole Effluent Toxicity Assays

- Chronic Toxicity - Ceriodaphnia dubia
- Chronic Toxicity - Pimephales promelas
- Chronic Toxicity - Selenastrum capricornutum
- Residue, Nonfilterable (TSS)

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

LV Labs WW, LLC
ID: 122046870

Lancaster WI
Phone: (608) 723-4096

Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chloride
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

Madison Metropolitan Sewerage District
ID: 113002230

Madison WI
Phone: (608) 222-1201

- Chloride
- Chromium, Hexavalent
- Chromium, Total
- Copper
- Kjeldahl Nitrogen, Total
- Lead
- Mercury, Low Level
- Molybdenum
- Nickel
- Nitrate
- Nitrate + Nitrite
- Orthophosphate
- Phosphorus, Total
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Silver
- Sodium
- Sulfate
- Zinc

Matrix: Non-Aqueous

Inductively Coupled Plasma Emission Spectrophotometry (ICP)

- Arsenic
- Cadmium
- Chromium, Total
- Copper
- Lead
- Mercury
- Molybdenum
- Nickel
- Potassium
- Residue, Total
- Selenium
- Sodium
- Zinc

Lincoln County Health Department
ID: 735036280

Merrill WI
Phone: (715) 536-0307

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

Lyons Wastewater Treatment Laboratory
ID: 265008920

Lyons WI
Phone: (262) 763-4627

Matrix: Aqueous

Oxygen Demand Assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Residue, Nonfilterable (TSS)

Lodi Wastewater Treatment Plant
ID: 111001770

Lodi WI
Phone: (608) 592-5968

Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Madison Metropolitan Sewerage District
ID: 113002230

Madison WI
Phone: (608) 222-1201

Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Cadmium
- Carbonaceous Biochemical Oxygen Demand (cBOD)

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Manitowoc Wastewater Treatment Facility
ID: 436004910

Manitowoc WI
Phone: (920) 686-3555

Matrix: Aqueous

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Marathon County Public Health Laboratory
ID: 737157080

Wausau WI
Phone: (715) 261-1908

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

Markesan Joint Water and Sewer Utility
ID: 424004680

Markesan WI
Phone: (920) 398-3767

Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Marshfield Wastewater Utility
ID: 772008380

Marshfield WI
Phone: (715) 591-2022

Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Mayville Water and Wastewater Utilities
ID: 114005760

Mayville WI
Phone: (920) 387-7906

Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Chloride
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Medford Wastewater Treatment Plant
ID: 861008830

Medford WI
Phone: (715) 748-4122

Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

Medford Wastewater Treatment Plant
ID: 861008830

Medford WI
Phone: (715) 748-4122

- Nitrate - Hach Method 10206

Merit Laboratories, Inc

ID: 399147320

East Lansing MI
Phone: (517) 332-0167

Matrix: Aqueous

Liquid Chromatography-Mass Spectrometry (LC/MS)

- ## PFAS (group)

Matrix: Drinking Water

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)

Matrix: Non-Aqueous

Liquid Chromatography-Mass Spectrometry (LC/MS)

- ## PFAS (group)

Milwaukee Metropolitan Sewerage District
ID: 241325920

Milwaukee WI
Phone: (414) 277-6377

Matrix: Aqueous

Colorimetric or Turbidimetric

- Alkalinity
- Ammonia as N
- Ammonia as N
- Antimony
- Arsenic
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Milwaukee Metropolitan Sewerage District
ID: 241325920

Milwaukee WI

Phone: (414) 277-6377

- Chemical Oxygen Demand (COD)
- Chloride
- Chlorophyll
- Chromium, Total
- Cobalt
- Copper
- Hardness, Total as CaCO₃
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Oil & Grease as HEM, Silica Gel Treated (SGT)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Silver
- Thallium
- Tin
- Titanium
- Vanadium
- Zinc

Matrix: Non-Aqueous

[Inductively Coupled Plasma Emission Spectrophotometry \(ICP\)](#)

- Aluminum
- Arsenic
- Cadmium
- Chromium, Total
- Cobalt
- Copper
- Iron

Milwaukee Metropolitan Sewerage District
ID: 241325920

Milwaukee WI

Phone: (414) 277-6377

- Lead
- Molybdenum
- Nickel
- Phosphorus, Total
- Potassium
- Residue, Total
- Selenium
- Zinc

Milwaukee Water Works
ID: 241010000

Milwaukee WI

Phone: (414) 286-2226

Matrix: Drinking Water

[Secondary Inorganic Contaminants \(Non-Metals\)](#)

- Alkalinity - SM 2320B
- Aluminum - EPA 200.8
- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Bromate - EPA 300.1
- Cadmium - EPA 200.8
- Chlorate - EPA 300.1
- Chloride - EPA 300.1
- Chlorine, Combined - SM 4500-Cl D
- Chlorine, Combined - SM 4500-Cl G
- Chlorine, Total - SM 4500-Cl D
- Chlorite - EPA 300.1
- Chromium - EPA 200.8
- Conductivity - SM 2510B
- Copper - EPA 200.8
- Fluoride - EPA 300.1
- Fluoride - SM 4500-F C
- Lead - EPA 200.8
- Manganese - EPA 200.8
- Nickel - EPA 200.8

Milwaukee Water Works
ID: 241010000

Milwaukee WI

Phone: (414) 286-2226

- Nitrate - EPA 300.1
- Nitrate + Nitrite - EPA 300.1
- Nitrite - EPA 300.1
- Orthophosphate - EPA 300.1
- Orthophosphate - SM 4500-P E
- pH - SM 4500-H+ B
- Selenium - EPA 200.8
- Sulfate - EPA 300.1
- Thallium - EPA 200.8
- Turbidity - SM 2130B
- Zinc - EPA 200.8

National Testing Laboratories, Inc.
ID: 999462860

Ypsilanti MI

Phone: (734) 483-8333

Matrix: Drinking Water

[Disinfection By-products](#)

- ## HALOACETIC ACIDS (5) - EPA 552.2
- ## THM (group) - EPA 524.2
- ## VOCS, REGULATED (group) - EPA 524.2
- ## VOCS, UNREGULATED (group) - EPA 524.2
- 2,4-D - EPA 515.4
- 3-Hydroxycarbofuran - EPA 531.2
- Alachlor - EPA 525.2
- Aldicarb - EPA 531.2
- Aldicarb Sulfone - EPA 531.2
- Aldicarb Sulfoxide - EPA 531.2
- Aldrin - EPA 505
- Aldrin - EPA 525.2
- Alkalinity - SM 2320B
- Aluminum - EPA 200.7
- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Arsenic - SM 3113B
- Atrazine - EPA 525.2

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

National Testing Laboratories, Inc.

ID: 999462860

Ypsilanti MI

Phone: (734) 483-8333

- Barium - EPA 200.7
- Barium - EPA 200.8
- Benzo[a]pyrene - EPA 525.2
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Bromate - EPA 300.1
- Bromate - EPA 326.0
- Bromide - EPA 300.0
- Bromide - EPA 300.1
- Butachlor - EPA 525.2
- Cadmium - EPA 200.7
- Cadmium - EPA 200.8
- Calcium - EPA 200.7
- Carbaryl - EPA 531.2
- Carbofuran - EPA 531.2
- Chlorate - EPA 300.1
- Chlordane - EPA 505
- Chloride - EPA 300.0
- Chlorine Dioxide - SM 4500-CIO2 D
- Chlorine, Free - SM 4500-Cl G
- Chlorine, Total - SM 4500-Cl G
- Chlorite - EPA 300.1
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Conductivity - SM 2510B
- Copper - EPA 200.7
- Copper - EPA 200.8
- Dalapon - EPA 515.4
- Dalapon - EPA 552.2
- Di(2-ethylhexyl)adipate - EPA 525.2
- Di(2-ethylhexyl)phthalate - EPA 525.2
- Dibromochloropropane (DBCP) - EPA 504.
- Dicamba - EPA 515.4
- Dieldrin - EPA 505
- Dieldrin - EPA 525.2
- Dinoseb - EPA 515.4
- Diquat - EPA 549.2
- Endothall - EPA 548.1
- Endrin - EPA 505
- Endrin - EPA 525.2
- Ethylene Dibromide (EDB) - EPA 504.1

National Testing Laboratories, Inc.

ID: 999462860

Ypsilanti MI

Phone: (734) 483-8333

- Fluoride - EPA 300.0
- Glyphosate - EPA 547
- Heptachlor - EPA 505
- Heptachlor - EPA 525.2
- Heptachlor epoxide - EPA 505
- Heptachlor epoxide - EPA 525.2
- Hexachlorobenzene - EPA 505
- Hexachlorobenzene - EPA 525.2
- Hexachlorocyclopentadiene - EPA 505
- Hexachlorocyclopentadiene - EPA 525.2
- Iron - EPA 200.7
- Lead - EPA 200.8
- Lindane (gamma-BHC) - EPA 505
- Magnesium - EPA 200.7
- Manganese - EPA 200.7
- Manganese - EPA 200.8
- Mercury - EPA 200.8
- Methomyl - EPA 531.2
- Methoxychlor - EPA 505
- Methoxychlor - EPA 525.2
- Metolachlor - EPA 525.2
- Metribuzin - EPA 525.2
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0
- Orthophosphate - EPA 300.0
- Oxamyl (Vydate) - EPA 531.2
- PCBs (as Aroclors) Screening - EPA 505
- Pentachlorophenol - EPA 515.4
- pH - EPA 150.1
- Picloram - EPA 515.4
- Propachlor - EPA 525.2
- Selenium - EPA 200.8
- Selenium - SM 3113B
- Silica - EPA 200.7
- Silver - EPA 200.7
- Silver - EPA 200.8
- Silvex (2,4,5-TP) - EPA 515.4
- Simazine - EPA 525.2

National Testing Laboratories, Inc.

ID: 999462860

Ypsilanti MI

Phone: (734) 483-8333

- Sodium - EPA 200.7
- Sulfate - EPA 300.0
- TDS (Total Dissolved Solids) - SM 2540C
- Thallium - EPA 200.8
- Total Organic Carbon (TOC) - SM5310C
- Toxaphene - EPA 505
- Zinc - EPA 200.7
- Zinc - EPA 200.8

Neenah-Menasha Sewerage Comm.

ID: 471005590

Menasha WI

Phone: (920) 751-4760

Matrix: Aqueous

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

North Shore Analytical, Inc.

ID: 399017190

Duluth MN

Phone: (218) 729-4658

Matrix: Aqueous

Cold Vapor Atomic Fluorescence Spectrophotometry (CVAFS)

- Mercury, Low Level

Matrix: Non-Aqueous

Cold Vapor Atomic Fluorescence Spectrophotometry (CVAFS)

- Mercury

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

North Shore Analytical, Inc.
ID: 399017190

Duluth MN
Phone: (218) 729-4658

Northern Lake Service Inc. - Waukesha
ID: 268533760

Waukesha WI
Phone: (262) 547-3406

Matrix: Aqueous

Oxygen Demand Assays (BOD or cBOD)

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chromium, Hexavalent
- pH
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Fluoride - SM 4500-F C
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 353.2

Northern Lake Service Inc. (Crandon)
ID: 721026460

Crandon WI
Phone: (715) 478-2777

Matrix: Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PAH (group)
- ## PCB as AROCLORS (group)

Northern Lake Service Inc. (Crandon)
ID: 721026460

Crandon WI
Phone: (715) 478-2777

- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PFAS (group)
- ## VOC - VOLATILE ORGANICS (group)
- Alachlor
- Alkalinity
- Aluminum
- Ammonia as N
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Atrazine
- Barium
- Barium
- Beryllium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Butylate
- Cadmium
- Cadmium
- Calcium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chlorophyll
- Chlorpyrifos
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Cyanazine
- Cyanide, Available
- Cyanide, Total

Northern Lake Service Inc. (Crandon)
ID: 721026460

Crandon WI
Phone: (715) 478-2777

- Deethylatrazine
- Deisopropylatrazine
- Dimethoate
- Disulfoton
- EPTC (Eptam)
- Fluoride
- Fonofos
- Hardness, Total as CaCO₃
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium
- Lithium
- Magnesium
- Magnesium
- Manganese
- Manganese
- Mercury
- Mercury
- Mercury, Low Level
- Metolachlor
- Metribuzin
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate
- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Oil & Grease as HEM, Silica Gel Treated (SGT)
- Organic Carbon, Total (TOC)
- Orthophosphate
- Parathion (Parathion Ethyl)
- Parathion Methyl
- pH
- Phenolics, Total

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Northern Lake Service Inc. (Crandon)

ID: 721026460

Crandon WI

Phone: (715) 478-2777

- Phorate
- Phosphorus, Total
- Potassium
- Potassium
- Prometon
- Propachlor
- Propazine
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Selenium
- Silver
- Silver
- Simazine
- Sodium
- Sodium
- Specific Conductance
- Strontium
- Strontium
- Sulfate
- Sulfide
- Terbufos
- Thallium
- Thallium
- Tin
- Tin
- Titanium
- Titanium
- Trifluralin
- Vanadium
- Vanadium
- Zinc
- Zinc

Matrix: Drinking Water

[Disinfection By-products](#)

- ## HALOACETIC ACIDS (5) - EPA 552.3
- ## PFAS (group) – EPA 537.1 (18)
- ## THM (group) - EPA 524.2

Northern Lake Service Inc. (Crandon)

ID: 721026460

Crandon WI

Phone: (715) 478-2777

- ## VOCS, REGULATED (group) - EPA 524.2
- ## VOCS, UNREGULATED (group) - EPA 524.2
- 3-Hydroxycarbofuran - EPA 531.1
- Alachlor - EPA 525.2
- Aldicarb - EPA 531.1
- Aldicarb Sulfone - EPA 531.1
- Aldicarb Sulfoxide - EPA 531.1
- Aldrin - EPA 525.2
- Alkalinity - SM 2320B
- Aluminum - EPA 200.7
- Aluminum - EPA 200.8
- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Atrazine - EPA 525.2
- Barium - EPA 200.7
- Barium - EPA 200.8
- Benzo[a]pyrene - EPA 525.2
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Butachlor - EPA 525.2
- Cadmium - EPA 200.7
- Cadmium - EPA 200.8
- Calcium - EPA 200.7
- Carbaryl - EPA 531.1
- Carbofuran - EPA 531.1
- Chlordane - EPA 505
- Chloride - EPA 300.0
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Cyanide - SM 4500-CN C, E
- Di(2-ethylhexyl)adipate - EPA 525.2
- Di(2-ethylhexyl)phthalate - EPA 525.2
- Dibromochloropropane (DBCP) - EPA 504.
- Dieldrin - EPA 525.2
- Diquat - EPA 549.2
- Endothall - EPA 548.1
- Endrin - EPA 525.2
- Ethylene Dibromide (EDB) - EPA 504.1
- Fluoride - EPA 300.0

Northern Lake Service Inc. (Crandon)

ID: 721026460

Crandon WI

Phone: (715) 478-2777

- Glyphosate - EPA 547
- Heptachlor - EPA 525.2
- Heptachlor epoxide - EPA 525.2
- Hexachlorobenzene - EPA 525.2
- Hexachlorocyclopentadiene - EPA 525.2
- Iron - EPA 200.7
- Lead - EPA 200.8
- Lindane (gamma-BHC) - EPA 525.2
- Magnesium - EPA 200.7
- Manganese - EPA 200.7
- Manganese - EPA 200.8
- Mercury - EPA 200.8
- Mercury - EPA 245.1
- Methomyl - EPA 531.1
- Methoxychlor - EPA 525.2
- Metolachlor - EPA 525.2
- Metribuzin - EPA 525.2
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Nitrate - EPA 300.0
- Nitrate - SM 4500-NO3 F
- Nitrate + Nitrite - EPA 300.0
- Nitrate + Nitrite - SM 4500-NO3 F
- Nitrite - EPA 300.0
- Orthophosphate - SM 4500-P E
- Oxamyl (Vydate) - EPA 531.1
- PCBs (as Aroclors) Screening - EPA 505
- Propachlor - EPA 525.2
- Selenium - EPA 200.8
- Silver - EPA 200.7
- Silver - EPA 200.8
- Simazine - EPA 525.2
- Sodium - EPA 200.7
- Sulfate - EPA 300.0
- Thallium - EPA 200.8
- Toxaphene - EPA 505
- Zinc - EPA 200.7
- Zinc - EPA 200.8

Matrix: Non-Aqueous

[Gas Chromatography-Mass Spectrometry \(GC/MS\)](#)

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Northern Lake Service Inc. (Crandon)
ID: 721026460
Crandon WI
Phone: (715) 478-2777

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PAH (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PFAS (group)
- ## VOC - VOLATILE ORGANICS (group)
- Alachlor
- Aluminum
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Atrazine
- Barium
- Barium
- Beryllium
- Beryllium
- Boron
- Butylate
- Cadmium
- Cadmium
- Calcium
- Calcium
- Chemical Oxygen Demand (COD)
- Chloride
- Chlorpyrifos
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Corrosivity, Liquids
- Cyanazine
- Cyanide, Total
- Deethylatrazine
- Deisopropylatrazine
- Dimethoate

Northern Lake Service Inc. (Crandon)
ID: 721026460
Crandon WI
Phone: (715) 478-2777

- Disulfoton
- EPTC (Eptam)
- Fonofos
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium
- Magnesium
- Magnesium
- Manganese
- Manganese
- Mercury
- Mercury
- Metolachlor
- Metribuzin
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Orthophosphate
- Parathion (Parathion Ethyl)
- Parathion Methyl
- Phenolics, Total
- Phorate
- Phosphorus, Total
- Potassium
- Potassium
- Prometon
- Propachlor
- Propazine
- Reagent Water Shake Extraction (ASTM Leach)
- Residue, Total
- Selenium
- Selenium
- Silver
- Silver
- Simazine

Northern Lake Service Inc. (Crandon)
ID: 721026460
Crandon WI
Phone: (715) 478-2777

- Sodium
- Sodium
- SPLP Extraction
- Strontium
- Strontium
- Sulfate
- Sulfide
- TCLP Extraction
- Terbufos
- Thallium
- Thallium
- Tin
- Tin
- Titanium
- Titanium
- Trifluralin
- Vanadium
- Vanadium
- Zinc
- Zinc

Oconomowoc Wastewater Treatment Pla
ID: 268004550
Oconomowoc WI
Phone: (262) 569-2192

- Matrix: Aqueous**
Electrometric Assays (ISE)
- Ammonia as N
 - Biochemical Oxygen Demand (BOD)
 - Chloride
 - Phosphorus, Total
 - Residue, Nonfilterable (TSS)

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Operation and Management Services (O

ID: 460100850

Kohler WI

Phone: (920) 946-4448

Matrix: Aqueous

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)

Pace Analytical Services, LLC-Columbia

ID: 399136100

West Columbia SC

Phone: (803) 791-9700

Matrix: Aqueous

Liquid Chromatography-Mass Spectrometry (LC/MS)

- ## PFAS (group)

Matrix: Drinking Water

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)

Matrix: Non-Aqueous

Liquid Chromatography-Mass Spectrometry (LC/MS)

- ## PFAS (group)

Pace Analytical Services, LLC-Minneapolis

ID: 999407970

Minneapolis MN

Phone: (612) 607-1700

Matrix: Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## DIOXINS & FURANS (group)
- ## PAH (group)

Pace Analytical Services, LLC-Minneapolis

ID: 999407970

Minneapolis MN

Phone: (612) 607-1700

- ## PCB as AROCLORS (group)
- ## PCB CONGENERS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PFAS (group)
- ## VOC - VOLATILE ORGANICS (group)
- Alkalinity
- Aluminum
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Bismuth
- Boron
- Boron
- Bromide
- Cadmium
- Cadmium
- Calcium
- Calcium
- Chemical Oxygen Demand (COD)
- Chloride
- Chloride
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Diesel Range Organics (DRO)
- Gasoline Range Organics (GRO)
- Hardness, Total as CaCO₃
- Iron
- Iron
- Lead
- Lead

Pace Analytical Services, LLC-Minneapolis

ID: 999407970

Minneapolis MN

Phone: (612) 607-1700

- Lithium
- Magnesium
- Magnesium
- Manganese
- Manganese
- Mercury
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Nitrite
- Oil & Grease as HEM
- Oil & Grease as HEM, Silica Gel Treated (SGT)
- Orthophosphate
- pH
- Potassium
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Selenium
- Silicon
- Silver
- Silver
- Sodium
- Sodium
- Specific Conductance
- Strontium
- Sulfate
- Sulfate
- Thallium
- Thallium
- Tin
- Tin

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Pace Analytical Services, LLC-Minneapolis
ID: 999407970

Minneapolis MN
Phone: (612) 607-1700

- Titanium
- Titanium
- Turbidity
- Vanadium
- Vanadium
- Zinc
- Zinc

Matrix: Drinking Water

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)
- ## THM (group) - EPA 524.2
- ## VOCS, REGULATED (group) - EPA 524.2
- ## VOCS, UNREGULATED (group) - EPA 524.2
- 2,3,7,8-TCDD (Dioxin) - EPA 1613
- Copper - EPA 200.8
- Lead - EPA 200.8
- Mercury - EPA 245.1
- Nitrate - EPA 353.2
- Nitrite - EPA 353.2

Matrix: Non-Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## DIOXINS & FURANS (group)
- ## PAH (group)
- ## PCB as AROCLORS (group)
- ## PCB CONGENERS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PFAS (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Aluminum
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium

Pace Analytical Services, LLC-Minneapolis
ID: 999407970

Minneapolis MN
Phone: (612) 607-1700

- Bismuth
- Boron
- Boron
- Cadmium
- Cadmium
- Calcium
- Calcium
- Calcium
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Diesel Range Organics (DRO)
- Gasoline Range Organics (GRO)
- Iron
- Iron
- Lead
- Lead
- Lithium
- Magnesium
- Magnesium
- Manganese
- Manganese
- Mercury
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- pH
- Potassium
- Potassium
- Selenium
- Selenium
- Silver
- Silver
- Sodium
- Sodium
- SPLP Extraction
- Strontium
- TCLP Extraction

Pace Analytical Services, LLC-Minneapolis
ID: 999407970

Minneapolis MN
Phone: (612) 607-1700

- Thallium
- Thallium
- Tin
- Tin
- Titanium
- Titanium
- Vanadium
- Vanadium
- Zinc
- Zinc

Pace Analytical Services, LLC-Duluth MN
ID: 999446800

Duluth MN
Phone: (218) 735-6700

Matrix: Aqueous

Titrimetric or Potentiometric Titration Assays

- Alkalinity
- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Bromide
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chloride
- Chlorine, Total Residual (TRC)
- Chlorophyll
- Chromium, Hexavalent
- Cyanide, Available
- Cyanide, Total
- Fluoride
- Kjeldahl Nitrogen, Total
- Mercury, Low Level
- Nitrate
- Nitrate
- Nitrate + Nitrite

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Pace Analytical Services,LLC-Duluth MN
ID: 999446800

Duluth MN

Phone: (218) 735-6700

- Nitrate + Nitrite
- Nitrite
- Nitrite
- Oil & Grease as HEM
- Oil & Grease as HEM, Silica Gel Treated (SGT)
- Organic Carbon, Total (TOC)
- Orthophosphate
- pH
- Phenolics, Total
- Phosphorus, Total
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Specific Conductance
- Sulfate
- Sulfide
- Surfactants
- Turbidity

Matrix: Drinking Water

Secondary Inorganic Contaminants (Non-Metals)

- Chloride - EPA 300.0
- Fluoride - EPA 300.0
- Nitrate - EPA 300.0
- Nitrite - EPA 300.0
- Sulfate - EPA 300.0

Pace Analytical Services,LLC-Green Bay
ID: 405132750

Green Bay WI

Phone: (920) 469-2436

Matrix: Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)

Pace Analytical Services,LLC-Green Bay
ID: 405132750

Green Bay WI

Phone: (920) 469-2436

- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PVOC - Petroleum VOCs (group)
- ## VOC - VOLATILE ORGANICS (group)
- Acidity as CaCO₃
- Alkalinity
- Aluminum
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Boron
- Bromide
- Cadmium
- Cadmium
- Calcium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Hexavalent
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Cyanide, Total
- Diesel Range Organics (DRO)
- Fluoride
- Gasoline Range Organics (GRO)
- Hardness, Total as CaCO₃

Pace Analytical Services,LLC-Green Bay
ID: 405132750

Green Bay WI

Phone: (920) 469-2436

- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium
- Magnesium
- Magnesium
- Manganese
- Manganese
- Mercury
- Mercury
- Mercury, Low Level
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite
- Organic Carbon, Total (TOC)
- Oxygen, Dissolved
- Palladium
- pH
- Phosphorus, Total
- Potassium
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Selenium
- Silicon
- Silver
- Silver
- Sodium
- Sodium
- Specific Conductance

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Pace Analytical Services,LLC-Green Bay

ID: 405132750

Green Bay WI

Phone: (920) 469-2436

- Strontium
- Strontium
- Sulfate
- Sulfide
- Sulfides, Acid-Soluble and Acid-Insoluble
- Thallium
- Thallium
- Tin
- Tin
- Titanium
- Titanium
- Turbidity
- Vanadium
- Vanadium
- Zinc
- Zinc
- Zirconium

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0

Matrix: Non-Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## PVOC - Petroleum VOCs (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium

Pace Analytical Services,LLC-Green Bay

ID: 405132750

Green Bay WI

Phone: (920) 469-2436

- Beryllium
- Boron
- Boron
- Bromide
- Cadmium
- Cadmium
- Calcium
- Calcium
- Chloride
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Cyanide, Total
- Diesel Range Organics (DRO)
- Fluoride
- Gasoline Range Organics (GRO)
- Ignitability (Flashpoint), Pensky-Martens Closed Cup
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium
- Magnesium
- Magnesium
- Manganese
- Manganese
- Mercury
- Mercury
- Mercury
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrate + Nitrite
- Nitrite

Pace Analytical Services,LLC-Green Bay

ID: 405132750

Green Bay WI

Phone: (920) 469-2436

- Organic Carbon, Total (TOC)
- pH
- Phosphorus, Total
- Potassium
- Potassium
- Reagent Water Shake Extraction (ASTM Leach)
- Residue, Total
- Selenium
- Selenium
- Silver
- Silver
- Sodium
- Sodium
- SPLP Extraction
- Strontium
- Strontium
- Sulfate
- Sulfide
- Sulfides, Acid-Soluble and Acid-Insoluble
- TCLP Extraction
- Thallium
- Thallium
- Tin
- Tin
- Titanium
- Titanium
- Vanadium
- Vanadium
- Zinc
- Zinc
- Zirconium

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Pace Analytical Services,LLC-Indianapoli
ID: 999788130
Indianapolis IN
Phone: (317) 228-3100

Matrix: Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- 2,4,5-T
- 2,4-D
- Alkalinity
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Cadmium
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Cyanide, Total
- Diellate (cis and trans)
- Dimethoate
- Dinoseb (2-sec-butyl-4,6-Dinitrophenol)
- Disulfoton
- Famphur

Pace Analytical Services,LLC-Indianapoli
ID: 999788130
Indianapolis IN
Phone: (317) 228-3100

- Fluoride
- Hardness, Total as CaCO₃
- Iron
- Lead
- Lead
- Magnesium
- Manganese
- Manganese
- Mercury
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Phenolics, Total
- Phorate
- Phosphorus, Total
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Selenium
- Selenium
- Silver
- Silver
- Silvex (2,4,5-TP)
- Sodium
- Strontium
- Sulfate
- Thallium
- Thallium
- Thionazin (O,O-Diethyl O-2-pyrazinyl phosphorothioate)
- Tin
- Vanadium
- Vanadium
- Zinc
- Zinc

Pace Analytical Services,LLC-Indianapoli
ID: 999788130
Indianapolis IN
Phone: (317) 228-3100

Matrix: Drinking Water

Primary Inorganics Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Fluoride - EPA 300.0
- Lead - EPA 200.8
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Selenium - EPA 200.8
- Sodium - EPA 200.7
- Sulfate - EPA 300.0

Pace Analytical Services,LLC-Mobile Lab
ID: 113289110

Madison WI
Phone: (608) 221-8700

Matrix: Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## PAH (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- 2,4,5-T
- 2,4-D
- 2,4-DB
- 4-Nitrophenol

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Pace Analytical Services,LLC-Mobile Lab
ID: 113289110

Madison WI
Phone: (608) 221-8700

- Acetochlor
- Acifluorfen
- Alachlor
- Ametryn
- Ammonia as N
- Ammonia as N
- Arsenic
- Atrazine
- Benfluralin
- Bentazon
- Bromacil
- Bromoxynil (Brominal)
- Butylate
- Chlorothalonil
- Chlorpyrifos
- Clopyralid
- Cyanazine
- Dalapon
- Deethylatrazine
- Deisopropylatrazine
- Diazinon
- Dicamba
- Dichlorprop (2,4-DP)
- Dichlorvos (DDVP)
- Diclofop
- Dimethenamid
- Dimethoate
- Dinoseb (2-sec-butyl-4,6-Dinitrophenol)
- Disulfoton
- EPTC (Eptam)
- Ethalfuralin
- Ethion
- Ethoprop
- Fonofos
- Hexazinone
- Malathion
- MCPA
- MCPP (Mecoprop)
- Metolachlor
- Metribuzin
- Nitrate

Pace Analytical Services,LLC-Mobile Lab
ID: 113289110

Madison WI
Phone: (608) 221-8700

- Nitrate + Nitrite
- Norflurazon
- Parathion (Parathion Ethyl)
- Parathion Methyl
- Pendimethalin
- Pentachlorophenol
- pH
- Phorate
- Phosmet (Imidan)
- Picloram
- Prometon
- Prometryn
- Propachlor
- Propazine
- Silvex (2,4,5-TP)
- Simazine
- Terbufos
- Terbutryn
- Triallate
- Triclopyr
- Trifluralin

Matrix: Non-Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## PAH (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,3-Dinitrobenzene
- 2,4-Dinitrotoluene
- Acetochlor
- Alachlor
- Ametryn
- Ammonia as N
- Ammonia as N
- Arsenic
- Atrazine
- Benfluralin
- Bentazon
- Bromacil
- Butylate

Pace Analytical Services,LLC-Mobile Lab
ID: 113289110

Madison WI
Phone: (608) 221-8700

- Chlorpyrifos
- Cyanazine
- Deethylatrazine
- Deisopropylatrazine
- Diazinon
- Dimethenamid
- Disulfoton
- EPTC (Eptam)
- Ethalfuralin
- Ethion
- Ethoprop
- Fonofos
- Malathion
- Metolachlor
- Metribuzin
- Nitrate
- Nitrate + Nitrite
- Nitrobenzene
- Norflurazon
- Paint Filter Liquids Test
- Parathion (Parathion Ethyl)
- Parathion Methyl
- Pendimethalin
- pH
- Phorate
- Phosmet (Imidan)
- Prometon
- Prometryn
- Propachlor
- Propazine
- Simazine
- Terbufos
- Terbutryn
- Triallate
- Trifluralin

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Pace Analytical Services,LLC-Ormond Beach
ID: 399079670
Ormond Beach FL
Phone: (386) 672-5668

Matrix: Drinking Water

Disinfection By-products

- ## HALOACETIC ACIDS (5) - EPA 552.3
- ## PFAS (group) – EPA 537.1 (18)
- ## THM (group) - EPA 524.2
- ## VOCS, REGULATED (group) - EPA 524.2
- ## VOCS, UNREGULATED (group) - EPA 524.2
- 2,4-D - EPA 515.3
- Alkalinity - SM 2320B
- Bromate - EPA 300.1
- Bromide - EPA 300.0
- Bromide - EPA 300.1
- Chlorate - EPA 300.1
- Chloride - EPA 300.0
- Conductivity - SM 2510B
- Copper - EPA 200.8
- Cyanide - EPA 335.4
- Dalapon - EPA 515.3
- Dibromochloropropane (DBCP) - EPA 504.
- Dicamba - EPA 515.3
- Dinoseb - EPA 515.3
- Diquat - EPA 549.2
- Endothall - EPA 548.1
- Ethylene Dibromide (EDB) - EPA 504.1
- Fluoride - EPA 300.0
- Foaming agents (MBAS) - SM 5540C
- Lead - EPA 200.8
- Mercury - EPA 245.1
- Nitrate - EPA 300.0
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 300.0
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 300.0
- Nitrite - EPA 353.2
- Orthophosphate - EPA 300.0
- Orthophosphate - EPA 365.1
- Pentachlorophenol - EPA 515.3
- pH - SM 4500-H+ B
- Picloram - EPA 515.3
- Silvex (2,4,5-TP) - EPA 515.3

Pace Analytical Services,LLC-Ormond Beach
ID: 399079670
Ormond Beach FL
Phone: (386) 672-5668

- Sulfate - EPA 300.0
- TDS (Total Dissolved Solids) - SM 2540C
- Turbidity - EPA 180.1

Pace Gulf Coast Analytical Laboratories
ID: 399139510
Baton Rouge LA
Phone: (224) 769-4900

Matrix: Aqueous

Liquid Chromatography-Mass Spectrometry (LC/MS)

- ## PFAS (group)

Matrix: Drinking Water

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)

Matrix: Non-Aqueous

Liquid Chromatography-Mass Spectrometry (LC/MS)

- ## PFAS (group)

Platteville Wastewater Treatment Plant
ID: 122003310
Platteville WI
Phone: (608) 348-9741

Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Plover Wastewater Treatment Plant
ID: 750007940
Plover WI
Phone: (715) 345-5250

Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Phosphorus, Total

Portage Wastewater Treatment Facility
ID: 111001990
Portage WI
Phone: (608) 742-3445

Matrix: Aqueous

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)

Public Health Madison-Dane County Lab
ID: 113139620
Madison WI
Phone: (608) 266-4821

Matrix: Drinking Water

Primary Inorganics Contaminants (Metals)

- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Barium - EPA 200.7
- Barium - EPA 200.8
- Beryllium - EPA 200.7
- Beryllium - EPA 200.8

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Public Health Madison-Dane County Lab

ID: 113139620

Madison WI

Phone: (608) 266-4821

- Cadmium - EPA 200.7
- Cadmium - EPA 200.8
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Copper - EPA 200.7
- Copper - EPA 200.8
- Fluoride - EPA 300.0
- Lead - EPA 200.8
- Mercury - EPA 200.8
- Nickel - EPA 200.7
- Nickel - EPA 200.8
- Nitrate - EPA 300.0
- Nitrate + Nitrite - EPA 300.0
- Nitrite - EPA 300.0
- Selenium - EPA 200.8
- Sodium - EPA 200.7
- Sulfate - EPA 300.0
- Thallium - EPA 200.8

Quality Water Testing, Inc.

ID: 656111390

Somerset WI

Phone: (715) 247-4873

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - SM 4500-NO3 D

Racine Wastewater Treatment Plant Labo

ID: 252003400

Racine WI

Phone: (262) 636-9550

Matrix: Aqueous

Colorimetric or Turbidimetric

Racine Wastewater Treatment Plant Labo

ID: 252003400

Racine WI

Phone: (262) 636-9550

- Ammonia as N
- Arsenic
- Biochemical Oxygen Demand (BOD)
- Cadmium
- Calcium
- Chromium, Total
- Copper
- Cyanide, Total
- Hardness, Total as CaCO₃
- Iron
- Kjeldahl Nitrogen, Total
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Phosphorus, Total
- Potassium
- Residue, Nonfilterable (TSS)
- Selenium
- Silver
- Zinc

Matrix: Non-Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Arsenic
- Cadmium
- Chromium, Total
- Copper
- Kjeldahl Nitrogen, Total
- Kjeldahl Nitrogen, Total
- Lead
- Manganese
- Molybdenum
- Nickel
- Phosphorus, Total
- Potassium
- Residue, Total
- Selenium

Racine Wastewater Treatment Plant Labo

ID: 252003400

Racine WI

Phone: (262) 636-9550

- Silver
- Zinc

Ramboll Americas Engineering Solutions

ID: 399050850

Brentwood TN

Phone: (615) 277-7517

Matrix: Aqueous

Whole Effluent Toxicity Assays

- Acute Toxicity - Ceriodaphnia dubia
- Acute Toxicity - Pimephales promelas
- Chronic Toxicity - Ceriodaphnia dubia
- Chronic Toxicity - Pimephales promelas

Rib Mountain Metro Sewage District WW

ID: 737253110

Wausau WI

Phone: (715) 359-7852

Matrix: Aqueous

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Richland Center WWTP
ID: 153001860

Lone Rock WI
Phone: (608) 647-3917

Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Rock County Health Department
ID: 154077660

Janesville WI
Phone: (608) 757-5441

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

Scientific Control Laboratories, Inc. (SCL)
ID: 998091930

Chicago IL
Phone: (773) 254-2406

Matrix: Aqueous

Inductively Coupled Plasma Emission Spectrophotometry (ICP)

- Aluminum
- Ammonia as N
- Arsenic
- Barium
- Biochemical Oxygen Demand (BOD)
- Cadmium
- Cadmium
- Chemical Oxygen Demand (COD)
- Chromium, Total
- Chromium, Total
- Copper

Scientific Control Laboratories, Inc. (SCL)
ID: 998091930

Chicago IL
Phone: (773) 254-2406

- Copper
- Cyanide, Available
- Cyanide, Total
- Fluoride
- Fluoride
- Iron
- Iron
- Lead
- Lead
- Manganese
- Manganese
- Mercury
- Molybdenum
- Nickel
- Nickel
- Oil & Grease as HEM
- Oil & Grease as HEM, Silica Gel Treated (SGT)
- Orthophosphate
- pH
- Phosphorus, Total
- Residue, Nonfilterable (TSS)
- Selenium
- Silver
- Silver
- Tin
- Tin
- Zinc
- Zinc

Matrix: Non-Aqueous

Inductively Coupled Plasma Emission Spectrophotometry (ICP)

- Arsenic
- Barium
- Cadmium
- Chromium, Total
- Corrosivity, Liquids
- Cyanide, Total
- Lead
- Mercury
- pH
- Selenium

Scientific Control Laboratories, Inc. (SCL)
ID: 998091930

Chicago IL
Phone: (773) 254-2406

- Silver
- TCLP Extraction

SGS North America, Inc. - Orlando
ID: 399043370

Orlando FL
Phone: (407) 425-6700

Matrix: Aqueous

Liquid Chromatography-Mass Spectrometry (LC/MS)

- ## PFAS (group)

Matrix: Drinking Water

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)

Matrix: Non-Aqueous

Liquid Chromatography-Mass Spectrometry (LC/MS)

- ## PFAS (group)

Siemens Energy Inc
ID: 737053130

Rothschild WI
Phone: (715) 359-7226

Matrix: Aqueous

Titrimetric or Potentiometric Titration Assays

- Alkalinity
- Aluminum
- Ammonia as N
- Ammonia as N
- Antimony
- Arsenic
- Barium
- Beryllium
- Biochemical Oxygen Demand (BOD)

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Siemens Energy Inc
ID: 737053130

Rothschild WI
Phone: (715) 359-7226

- Boron
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Cyanide, Available
- Cyanide, Total
- Fluoride
- Hardness, Total as CaCO₃
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Organic Carbon, Total (TOC)
- Orthophosphate
- pH
- Phenolics, Total
- Phosphorus, Total
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Silver
- Sodium
- Specific Conductance
- Strontium
- Sulfate

Siemens Energy Inc
ID: 737053130

Rothschild WI
Phone: (715) 359-7226

- Sulfide
- Sulfite
- Thallium
- Turbidity
- Vanadium
- Zinc

Matrix: Non-Aqueous

[Inductively Coupled Plasma Emission Spectrophotometry \(ICP\)](#)

- Aluminum
- Ammonia as N
- Ammonia as N
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Cyanide, Available
- Cyanide, Total
- Fluoride
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Orthophosphate
- Paint Filter Liquids Test
- pH
- Phenolics, Total
- Phosphorus, Total

Siemens Energy Inc
ID: 737053130

Rothschild WI
Phone: (715) 359-7226

- Potassium
- Reagent Water Shake Extraction (ASTM Leach)
- Residue, Total
- Residue, Volatile (TVS)
- Selenium
- Silver
- Sodium
- SPLP Extraction
- Strontium
- Sulfate
- TCLP Extraction
- Thallium
- Vanadium
- Zinc

Silver Lake Sanitary District
ID: 470013170

Wautoma WI
Phone: (920) 787-7622

Matrix: Aqueous

[Electrometric Assays \(ISE\)](#)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Solomon Corporation - TN
ID: 399141270

Decatur TN
 Phone: (423) 454-6048

Matrix: Non-Aqueous

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)

Solomon Corporation Laboratory - KS
ID: 399081430

Solomon KS
 Phone: (785) 655-2191

Matrix: Non-Aqueous

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)

Solomon Corporation Laboratory - TX
ID: 399140940

Temple TX
 Phone: (512) 591-2936

Matrix: Non-Aqueous

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)

Springbrook Pollution Abatement Facility
ID: 734007450

Antigo WI
 Phone: (715) 623-2797

Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)

Springbrook Pollution Abatement Facility
ID: 734007450

Antigo WI
 Phone: (715) 623-2797

- Phosphorus, Total
- Residue, Nonfilterable (TSS)

SRN Testing Services LLC
ID: 399147430

Bartlett IL
 Phone: (630) 503-5002

Matrix: Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## VOC - VOLATILE ORGANICS (group)
- Alkalinity
- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Calcium
- Chromium, Total
- Cobalt
- Copper
- Hardness, Total as CaCO₃
- Iron
- Lead
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Nitrite
- pH
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)

SRN Testing Services LLC
ID: 399147430

Bartlett IL
 Phone: (630) 503-5002

- Selenium
- Silver
- Sodium
- Specific Conductance
- Sulfate
- Thallium
- Vanadium
- Zinc

Matrix: Non-Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Calcium
- Chromium, Total
- Cobalt
- Copper
- Iron
- Lead
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Nitrite
- pH
- Potassium
- Residue, Total
- Residue, Volatile (TVS)
- Selenium
- Silver
- Sodium
- Specific Conductance
- SPLP Extraction
- Sulfate

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

SRN Testing Services LLC

ID: 399147430

Bartlett IL

Phone: (630) 503-5002

- TCLP Extraction
- Thallium
- Vanadium
- Zinc

STAT Analysis

ID: 399099910

CHICAGO IL

Phone: (312) 733-0551

Matrix: Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium, Total
- Copper
- Iron
- Lead
- Lead
- Manganese
- Mercury
- Molybdenum
- Nickel
- Potassium
- Selenium
- Thallium
- Vanadium
- Zinc

STAT Analysis

ID: 399099910

CHICAGO IL

Phone: (312) 733-0551

Matrix: Non-Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chromium, Total
- Copper
- Iron
- Lead
- Lead
- Manganese
- Mercury
- Molybdenum
- Nickel
- Potassium
- Selenium
- Thallium
- Vanadium
- Zinc

Sturgeon Bay Utilities

ID: 415004920

Sturgeon Bay WI

Phone: (920) 743-3210

Matrix: Aqueous

Colorimetric or Turbidimetric

- Ammonia as N

Sturgeon Bay Utilities

ID: 415004920

Sturgeon Bay WI

Phone: (920) 743-3210

- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Suburban Laboratories of SE Wisconsin

ID: 246179890

Mequon WI

Phone: (262) 539-2316

Matrix: Aqueous

Titrimetric or Potentiometric Titration Assays

- Alkalinity
- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Hexavalent
- Cyanide, Total
- Hardness, Total as CaCO₃
- Kjeldahl Nitrogen, Total
- Nitrate
- Nitrite
- Oil & Grease as HEM
- Oil & Grease as HEM, Silica Gel Treated (SGT)
- Orthophosphate
- Phenolics, Total
- Phosphorus, Total
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Suburban Laboratories of SE Wisconsin
ID: 246179890

Mequon WI
Phone: (262) 539-2316

- Nitrate - SM 4500-NO3 D
- Nitrite - SM 4500-NO2 B

Matrix: Non-Aqueous

Electrometric Assays (ISE)

- Ammonia as N
- Chloride
- Cyanide, Total
- Kjeldahl Nitrogen, Total
- Phosphorus, Total
- Residue, Total
- Residue, Volatile (TVS)

Suburban Laboratories, Inc.
ID: 399089350

Geneva IL
Phone: (708) 544-3260

Suburban Laboratories, Inc.
ID: 399089350

Geneva IL
Phone: (708) 544-3260

- Boron
- Boron
- Cadmium
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Cyanide, Available
- Cyanide, Total
- Fluoride
- Hardness, Total as CaCO3
- Iron
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Magnesium
- Manganese
- Manganese
- Mercury
- Mercury, Low Level
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Oil & Grease as HEM, Silica Gel Treated (SGT)
- Organic Carbon, Total (TOC)
- Orthophosphate
- Phenolics, Total

Suburban Laboratories, Inc.
ID: 399089350

Geneva IL
Phone: (708) 544-3260

- Phosphorus, Total
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Selenium
- Silica
- Silicon
- Silver
- Silver
- Sodium
- Specific Conductance
- Strontium
- Sulfate
- Thallium
- Thallium
- Tin
- Tin
- Titanium
- Vanadium
- Vanadium
- Zinc
- Zinc

Matrix: Drinking Water

Disinfection By-products

- ## HALOACETIC ACIDS (5) - EPA 552.3
- ## THM (group) - EPA 524.2
- ## VOCS, REGULATED (group) - EPA 524.2
- ## VOCS, UNREGULATED (group) - EPA 524.2
- 2,4-D - EPA 515.4
- 3-Hydroxycarbofuran - EPA 531.2
- Alachlor - EPA 525.2
- Aldicarb - EPA 531.2
- Aldicarb Sulfone - EPA 531.2
- Aldicarb Sulfoxide - EPA 531.2
- Aldrin - EPA 505
- Alkalinity - SM 2320B
- Aluminum - EPA 200.8
- Antimony - EPA 200.8

Suburban Laboratories, Inc.
ID: 399089350

Geneva IL
Phone: (708) 544-3260

Matrix: Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- Alkalinity
- Aluminum
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Biochemical Oxygen Demand (BOD)

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Suburban Laboratories, Inc.

ID: 399089350

Geneva IL

Phone: (708) 544-3260

- Arsenic - EPA 200.8
- Atrazine - EPA 525.2
- Barium - EPA 200.7
- Barium - EPA 200.8
- Benzo[a]pyrene - EPA 525.2
- Beryllium - EPA 200.8
- Butachlor - EPA 525.2
- Cadmium - EPA 200.8
- Calcium - EPA 200.7
- Carbaryl - EPA 531.2
- Carbofuran - EPA 531.2
- Chlordane - EPA 505
- Chromium - EPA 200.7
- Chromium - EPA 200.8
- Conductivity - SM 2510B
- Copper - EPA 200.7
- Copper - EPA 200.8
- Cyanide - SM 4500-CN C, E
- Dalapon - EPA 515.4
- Di(2-ethylhexyl)adipate - EPA 525.2
- Di(2-ethylhexyl)phthalate - EPA 525.2
- Dibromochloropropane (DBCP) - EPA 504.
- Dicamba - EPA 515.4
- Dieldrin - EPA 505
- Dinoseb - EPA 515.4
- Diquat - EPA 549.2
- Endothall - EPA 548.1
- Endrin - EPA 505
- Ethylene Dibromide (EDB) - EPA 504.1
- Fluoride - SM 4500-F C
- Glyphosate - EPA 547
- Heptachlor - EPA 505
- Heptachlor epoxide - EPA 505
- Hexachlorobenzene - EPA 505
- Hexachlorocyclopentadiene - EPA 505
- Iron - EPA 200.7
- Lead - EPA 200.8
- Lindane (gamma-BHC) - EPA 505
- Magnesium - EPA 200.7
- Manganese - EPA 200.7
- Manganese - EPA 200.8

Suburban Laboratories, Inc.

ID: 399089350

Geneva IL

Phone: (708) 544-3260

- Mercury - EPA 200.8
- Methomyl - EPA 531.2
- Methoxychlor - EPA 505
- Methyl tert-Butyl Ether - EPA 524.2
- Metolachlor - EPA 525.2
- Metribuzin - EPA 525.2
- Nickel - EPA 200.8
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - SM 4500-NO2 B
- Orthophosphate - SM 4500-P E
- Oxamyl (Vydate) - EPA 531.2
- Pentachlorophenol - EPA 515.4
- Picloram - EPA 515.4
- Propachlor - EPA 525.2
- Selenium - EPA 200.8
- Silica - EPA 200.7
- Silver - EPA 200.8
- Silvex (2,4,5-TP) - EPA 515.4
- Simazine - EPA 525.2
- Sodium - EPA 200.7
- Sulfate - ASTM D516
- TDS (Total Dissolved Solids) - SM 2540C
- Thallium - EPA 200.8
- Total Organic Carbon (TOC) - SM5310B
- Toxaphene - EPA 505
- Zinc - EPA 200.7
- Zinc - EPA 200.8

Matrix: Non-Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron

Suburban Laboratories, Inc.

ID: 399089350

Geneva IL

Phone: (708) 544-3260

- Cadmium
- Calcium
- Chromium, Total
- Cobalt
- Copper
- Cyanide, Available
- Cyanide, Total
- Ignitability (Flashpoint), Pinsky-Martens Closed Cup
- Iron
- Lead
- Magnesium
- Manganese
- Mercury
- Molybdenum
- Nickel
- Paint Filter Liquids Test
- pH
- Phenolics, Total
- Potassium
- Residue, Total
- Residue, Volatile (TVS)
- Selenium
- Silicon
- Silver
- Sodium
- SPLP Extraction
- Strontium
- TCLP Extraction
- Thallium
- Tin
- Titanium
- Vanadium
- Zinc

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Superior Wastewater Treatment Plant
ID: 816008710

Superior **WI**
Phone: (715) 394-0392

- Matrix: Aqueous**
Oxygen Demand Assays (BOD or cBOD)
- Biochemical Oxygen Demand (BOD)
 - Carbonaceous Biochemical Oxygen Demand (cBOD)
 - Phosphorus, Total
 - Residue, Nonfilterable (TSS)

SWD Labs, LLC
ID: 111083830

Randolph **WI**
Phone: (920) 326-5193

- Matrix: Drinking Water**
Primary Inorganics Contaminants (Non-Metals)
- Nitrate - Hach Method 10206

Synergy Environmental Lab, LLC
ID: 445037560

Appleton **WI**
Phone: (920) 830-2455

- Matrix: Aqueous**
Gas Chromatography-Mass Spectrometry (GC/MS)
- ## BNA - SEMIVOLATILE ORGANICS (group)
 - ## PAH (group)
 - ## PVOC - Petroleum VOCs (group)
 - ## VOC - VOLATILE ORGANICS (group)
 - Alkalinity
 - Ammonia as N
 - Chemical Oxygen Demand (COD)
 - Chloride
 - Cyanide, Total
 - Diesel Range Organics (DRO)

Synergy Environmental Lab, LLC
ID: 445037560

Appleton **WI**
Phone: (920) 830-2455

- Fluoride
- Gasoline Range Organics (GRO)
- Hardness, Total as CaCO3
- Naphthalene
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Orthophosphate
- Phosphorus, Total
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Sulfate

- Matrix: Drinking Water**
Disinfection By-products
- ## THM (group) - EPA 524.2
 - ## VOCS, REGULATED (group) - EPA 524.2

- Matrix: Non-Aqueous**
Gas Chromatography-Mass Spectrometry (GC/MS)
- ## BNA - SEMIVOLATILE ORGANICS (group)
 - ## PAH (group)
 - ## PVOC - Petroleum VOCs (group)
 - ## VOC - VOLATILE ORGANICS (group)
 - Diesel Range Organics (DRO)
 - Gasoline Range Organics (GRO)
 - Naphthalene
 - Residue, Total

TG Analytical Laboratories
ID: 445158340

Greenville **WI**
Phone: (920) 757-1355

- Matrix: Drinking Water**
Primary Inorganics Contaminants (Metals)
- Arsenic - SM 3113B
 - Copper - SM 3111B

TG Analytical Laboratories
ID: 445158340

Greenville **WI**
Phone: (920) 757-1355

- Fluoride - EPA 300.0
- Lead - SM 3113B
- Nitrate - EPA 300.0
- Nitrite - EPA 300.0

TJ/H2b Analytical Services USA, LLC
ID: 399125760

Madison **WI**
Phone: (608) 825-2022

- Matrix: Non-Aqueous**
Gas Chromatography (GC)
- ## PCB as AROCLORS (group)

Trace Analytical Laboratory
ID: 998044080

Muskegon **MI**
Phone: (231) 773-5998

- Matrix: Aqueous**
Gas Chromatography-Mass Spectrometry (GC/MS)
- ## BNA - SEMIVOLATILE ORGANICS (group)
 - ## PCB as AROCLORS (group)
 - ## PESTICIDES, ORGANOCHLORINE (group)
 - ## VOC - VOLATILE ORGANICS (group)
 - 2,4,5-T
 - 2,4-D
 - Aluminum
 - Ammonia as N
 - Antimony
 - Arsenic
 - Arsenic

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Trace Analytical Laboratory
ID: 998044080
Muskegon MI
Phone: (231) 773-5998

- Barium
- Barium
- Beryllium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Bromide
- Cadmium
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Cyanide, Available
- Cyanide, Total
- Fluoride
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Magnesium
- Manganese
- Manganese
- Mercury
- Mercury, Low Level
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrite
- Oil & Grease as HEM
- Organic Carbon, Total (TOC)
- Phosphorus, Total
- Potassium
- Potassium

Trace Analytical Laboratory
ID: 998044080
Muskegon MI
Phone: (231) 773-5998

- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Selenium
- Selenium
- Silver
- Silver
- Silvex (2,4,5-TP)
- Sodium
- Specific Conductance
- Strontium
- Sulfate
- Sulfide
- Thallium
- Thallium
- Tin
- Titanium
- Turbidity
- Vanadium
- Vanadium
- Zinc
- Zinc

Matrix: Non-Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## BNA - SEMIVOLATILE ORGANICS (group)
- ## PCB as AROCLORS (group)
- ## PESTICIDES, ORGANOCHLORINE (group)
- ## VOC - VOLATILE ORGANICS (group)
- 2,4-D
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium

Trace Analytical Laboratory
ID: 998044080
Muskegon MI
Phone: (231) 773-5998

- Boron
- Cadmium
- Cadmium
- Calcium
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Corrosivity, Liquids
- Cyanide, Total
- Ignitability (Flashpoint), Pinsky-Martens Closed Cup
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium
- Magnesium
- Manganese
- Manganese
- Mercury
- Molybdenum
- Nickel
- Nickel
- Paint Filter Liquids Test
- Percent Water by Karl Fischer Titration
- pH
- Phosphorus, Total
- Potassium
- Potassium
- Residue, Total
- Residue, Volatile (TVS)
- Selenium
- Selenium
- Silver
- Silver
- Silvex (2,4,5-TP)
- Sodium
- SPLP Extraction
- Strontium

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Trace Analytical Laboratory

ID: 998044080

Muskegon MI

Phone: (231) 773-5998

- TCLP Extraction
- Thallium
- Thallium
- Tin
- Titanium
- Vanadium
- Vanadium
- Zinc
- Zinc

Twin City Water Clinic

ID: 399073400

Hopkins MN

Phone: (952) 935-3556

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - SM 4500-NO3 F

Twin Lakes Sewage Treatment Plant

ID: 230004060

Twin Lakes WI

Phone: (262) 877-3404

Matrix: Aqueous

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

U.S. Water, LLC

ID: 737240900

Weston WI

Phone: (715) 842-2215

Matrix: Drinking Water

Secondary Inorganic Contaminants (Metals)

- Aluminum - EPA 200.8
- Antimony - EPA 200.8
- Arsenic - EPA 200.8
- Arsenic - EPA 200.9
- Barium - EPA 200.8
- Beryllium - EPA 200.8
- Cadmium - EPA 200.8
- Chromium - EPA 200.8
- Chromium - EPA 200.9
- Copper - EPA 200.8
- Copper - EPA 200.9
- Fluoride - HACH Method 10225
- Lead - EPA 200.8
- Lead - EPA 200.9
- Manganese - EPA 200.8
- Mercury - EPA 200.8
- Nickel - EPA 200.8
- Nitrate - Hach Method 10206
- Nitrate + Nitrite - Hach Method 10206
- Nitrite - SM 4500-NO2 B
- Selenium - EPA 200.8
- Silver - EPA 200.8
- Thallium - EPA 200.8
- Zinc - EPA 200.8

UW-Oshkosh Env. Research & Innovatio

ID: 471183460

Oshkosh WI

Phone: (920) 424-3148

Matrix: Aqueous

Colorimetric or Turbidimetric

- Chlorophyll
- Kjeldahl Nitrogen, Total
- Nitrate
- Nitrate + Nitrite

UW-Oshkosh Env. Research & Innovatio

ID: 471183460

Oshkosh WI

Phone: (920) 424-3148

- Orthophosphate
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Matrix: Drinking Water

Primary Inorganics Contaminants (Metals)

- Arsenic - SM 3113B
- Nitrate - SM 4500-NO3 F
- Nitrate + Nitrite - SM 4500-NO3 F
- Nitrite - SM 4500-NO2 B
- Nitrite - SM 4500-NO3 F

Matrix: Non-Aqueous

Colorimetric or Turbidimetric

- Orthophosphate
- Phosphorus, Total

UWSP Water and Environmental Analysis

ID: 750040280

Stevens Point WI

Phone: (715) 346-3209

Matrix: Aqueous

Titrimetric or Potentiometric Titration Assays

- Alkalinity
- Aluminum
- Ammonia as N
- Arsenic
- Barium
- Boron
- Cadmium
- Calcium
- Chemical Oxygen Demand (COD)
- Chloride
- Chlorophyll
- Chromium, Total
- Cobalt
- Copper
- Hardness, Total as CaCO3
- Hardness, Total as CaCO3

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

UWSP Water and Environmental Analysis

ID: 750040280

Stevens Point WI

Phone: (715) 346-3209

- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese
- Nickel
- Nitrate + Nitrite
- Organic Carbon, Total (TOC)
- Orthophosphate
- Phosphorus, Total
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Selenium
- Silver
- Sodium
- Zinc

Matrix: Drinking Water

Primary Inorganics Contaminants (Metals)

- Arsenic - EPA 200.8
- Lead - EPA 200.8
- Nitrate + Nitrite - SM 4500-NO3 F

UW-Stout Sustainability Sciences Institut

ID: 617068540

Menomonie WI

Phone: (715) 338-4395

Matrix: Aqueous

Colorimetric or Turbidimetric

- Chlorophyll
- Orthophosphate
- Phosphorus, Total

Veolia Environmental Services LLC

ID: 268224880

Menomonee Falls WI

Phone: (262) 255-6655

Matrix: Non-Aqueous

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)
- Arsenic
- Barium
- Cadmium
- Chromium, Total
- Copper
- Ignitability (Flashpoint), Pensky-Martens Closed Cup
- Lead
- Mercury
- Nickel
- Selenium
- Silver
- TCLP Extraction
- Zinc

Veolia ES Technical Solutions, LLC

ID: 246076050

Port Washington WI

Phone: (262) 243-8900

Matrix: Non-Aqueous

Hazardous Waste Characteristics

- Corrosivity, Liquids
- Ignitability (Flashpoint), Setflash Closed Cup

Village of Eden

ID: 420004640

Eden WI

Phone: (920) 477-4051

Matrix: Aqueous

Village of Eden

ID: 420004640

Eden WI

Phone: (920) 477-4051

Colorimetric or Turbidimetric

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Vista Analytical Laboratory, Inc.

ID: 998036160

El Dorado Hills CA

Phone: (916) 673-1520

Matrix: Aqueous

High Resolution Gas Chromatography-Mass Spectrometry (HRGC/MS)

- ## DIOXINS & FURANS (group)
- ## PFAS (group)

Matrix: Drinking Water

SOC - Miscellaneous

- ## PFAS (group) – EPA 537.1 (18)

Matrix: Non-Aqueous

High Resolution Gas Chromatography-Mass Spectrometry (HRGC/MS)

- ## DIOXINS & FURANS (group)
- ## PFAS (group)

Walworth Co. Health & Human Services

ID: 265192290

Elkhorn WI

Phone: (262) 741-3200

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Water Diagnostics Laboratories

ID: 246103990

Mequon WI
Phone: (414) 350-1100

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

Waukesha Co Dept of Parks & Land Use

ID: 268511760

Waukesha WI
Phone: (262) 896-8300

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206

White Water Associates, Inc.

ID: 999971280

Amasa MI
Phone: (906) 822-7373

Matrix: Aqueous

Colorimetric or Turbidimetric

- Alkalinity
- Aluminum
- Ammonia as N
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Cadmium
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chlorophyll
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Hardness, Total as CaCO₃
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead
- Lithium
- Magnesium
- Manganese
- Mercury, Low Level
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Nitrate

Water Laboratories, Inc

ID: 399044470

Elk River MN
Phone: (763) 441-7509

Matrix: Drinking Water

Primary Inorganics Contaminants (Metals)

- Arsenic - EPA 200.9
- Lead - SM 3113B
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - EPA 353.2

Waukesha Wastewater Treatment Plant

ID: 268005100

Waukesha WI
Phone: (262) 524-3627

Matrix: Aqueous

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Waterloo Wastewater Treatment Plant

ID: 128002380

Waterloo WI
Phone: (920) 478-2720

Matrix: Aqueous

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Chloride
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Western Racine Co. Sewerage District

ID: 252003840

Rochester WI
Phone: (262) 534-6237

Matrix: Aqueous

Electrometric Assays (ISE)

- Ammonia as N
- Biochemical Oxygen Demand (BOD)
- Chloride
- Phosphorus, Total
- Residue, Nonfilterable (TSS)

Matrix: Non-Aqueous

Electrometric Assays (ISE)

- Ammonia as N
- Phosphorus, Total

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

White Water Associates, Inc.
ID: 999971280

Amasa MI
Phone: (906) 822-7373

- Nitrate + Nitrite
- Nitrite
- Organic Carbon, Total (TOC)
- Orthophosphate
- pH
- Phosphorus, Total
- Potassium
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Selenium
- Selenium
- Silica
- Silver
- Sodium
- Specific Conductance
- Strontium
- Sulfate
- Thallium
- Thallium
- Vanadium
- Vanadium
- Zinc

Matrix: Non-Aqueous

[Inductively Coupled Plasma Emission Spectrophotometry \(ICP\)](#)

- Aluminum
- Antimony
- Arsenic
- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Corrosivity, Liquids
- Iron
- Kjeldahl Nitrogen, Total

White Water Associates, Inc.
ID: 999971280

Amasa MI
Phone: (906) 822-7373

- Lead
- Lithium
- Magnesium
- Manganese
- Molybdenum
- Nickel
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Orthophosphate
- pH
- Phosphorus, Total
- Potassium
- Residue, Total
- Selenium
- Silver
- Sodium
- Strontium
- Sulfate
- Thallium
- Vanadium
- Zinc

Whitelaw Wastewater Treatment Plant
ID: 436005900

Whitelaw WI
Phone: (920) 732-1331

Matrix: Aqueous

[Oxygen Demand Assays \(BOD or cBOD\)](#)

- Biochemical Oxygen Demand (BOD)
- Residue, Nonfilterable (TSS)

Wisconsin State Laboratory of Hygiene
ID: 113133790

Madison WI
Phone: (608) 224-6281

Matrix: Aqueous

[Gas Chromatography-Mass Spectrometry \(GC/MS\)](#)

- ## PAH (group)
- ## PFAS (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,3-Propanediol
- Acute Toxicity - Ceriodaphnia dubia
- Acute Toxicity - Pimephales promelas
- Alkalinity
- Aluminum
- Ammonia as N
- Antimony
- Arsenic
- Barium
- Beryllium
- Biochemical Oxygen Demand (BOD)
- Boron
- Cadmium
- Cadmium
- Calcium
- Carbonaceous Biochemical Oxygen Demand (cBOD)
- Chemical Oxygen Demand (COD)
- Chloride
- Chloride
- Chromium, Total
- Chromium, Total
- Chronic Toxicity - Ceriodaphnia dubia
- Chronic Toxicity - Pimephales promelas
- Chronic Toxicity - Selenastrum capricornutum
- Cobalt
- Copper
- Copper
- Cyanide, Available
- Cyanide, Total
- Ethylene Glycol
- Hardness, Total as CaCO3
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Lead

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Wisconsin State Laboratory of Hygiene

ID: 113133790

Madison WI

Phone: (608) 224-6281

- Magnesium
- Manganese
- Mercury
- Mercury, Low Level
- Molybdenum
- Nickel
- Nickel
- Nitrate
- Nitrate
- Nitrate + Nitrite
- Nitrite
- Oil & Grease as HEM
- Organic Carbon, Total (TOC)
- Orthophosphate
- pH
- Phosphorus, Total
- Potassium
- Propylene Glycol
- Residue, Filterable (TDS)
- Residue, Nonfilterable (TSS)
- Residue, Total (Total Solids)
- Residue, Volatile (TVS)
- Residue, Volatile, Nonfilterable (TVSS)
- Selenium
- Silica
- Silver
- Sodium
- Strontium
- Sulfate
- Sulfate
- Thallium
- Vanadium
- Zinc
- Zinc

Matrix: Drinking Water

Disinfection By-products

- ## HALOACETIC ACIDS (5) - EPA 552.3
- ## PFAS (group) – EPA 537.1 (18)
- ## THM (group) - EPA 524.2
- ## THM (group) - EPA 524.3
- ## VOCS, REGULATED (group) - EPA 524.2

Wisconsin State Laboratory of Hygiene

ID: 113133790

Madison WI

Phone: (608) 224-6281

- ## VOCS, REGULATED (group) - EPA 524.2
- Alkalinity - SM 2320B
- Aluminum - EPA 200.7
- Antimony - SM 3113B
- Arsenic - SM 3113B
- Barium - EPA 200.7
- Beryllium - EPA 200.7
- Cadmium - SM 3113B
- Calcium - EPA 200.7
- Chromium - SM 3113B
- Copper - EPA 200.7
- Cyanide - SM 4500-CN C, E
- Fluoride - Lachat 10-109-12-2-A (2009)
- Iron - EPA 200.7
- Lead - SM 3113B
- Magnesium - EPA 200.7
- Manganese - EPA 200.7
- Mercury - EPA 245.1
- Nickel - EPA 200.7
- Nitrate - EPA 353.2
- Nitrate + Nitrite - EPA 353.2
- Nitrite - SM 4500-NO2 B
- Orthophosphate - EPA 365.1
- Selenium - SM 3113B
- Silver - SM 3113B
- Sodium - EPA 200.7
- Sulfate - EPA 375.2
- TDS (Total Dissolved Solids) - SM 2540C
- Thallium - EPA 200.9
- Zinc - EPA 200.7

Matrix: Non-Aqueous

Gas Chromatography-Mass Spectrometry (GC/MS)

- ## PAH (group)
- ## PCB as AROCLORS (group)
- ## PFAS (group)
- ## VOC - VOLATILE ORGANICS (group)
- 1,3-Propanediol
- Aluminum
- Ammonia as N
- Antimony
- Arsenic

Wisconsin State Laboratory of Hygiene

ID: 113133790

Madison WI

Phone: (608) 224-6281

- Barium
- Beryllium
- Boron
- Cadmium
- Calcium
- Chloride
- Chromium, Total
- Cobalt
- Copper
- Corrosivity, Liquids
- Cyanide, Total
- Ethylene Glycol
- Ignitability (Flashpoint), Pinsky-Martens Closed Cup
- Ignitability (Flashpoint), Setaflash Closed Cup
- Iron
- Kjeldahl Nitrogen, Total
- Lead
- Magnesium
- Manganese
- Mercury
- Mercury
- Molybdenum
- Nickel
- Nitrate + Nitrite
- Organic Carbon, Total (TOC)
- Paint Filter Liquids Test
- pH
- Phosphorus, Total
- Phosphorus, Total
- Potassium
- Propylene Glycol
- Residue, Total
- Selenium
- Silver
- Sodium
- TCLP Extraction
- Thallium
- Vanadium
- Zinc

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Wood County Water Laboratory
ID: 772162820

Wisconsin Rapids WI
 Phone: (715) 421-8911

Matrix: Drinking Water

Primary Inorganics Contaminants (Non-Metals)

- Nitrate - Hach Method 10206
- Nitrate + Nitrite - Hach Method 10206

WRR Environmental Services Co., Inc.
ID: 618026530

Eau Claire WI
 Phone: (715) 834-9624

Matrix: Aqueous

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)
- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Chromium, Total
- Copper
- Lead
- Nickel
- Selenium
- Silver
- Thallium
- Zinc

Matrix: Non-Aqueous

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)
- Antimony
- Arsenic
- Barium
- Beryllium
- Cadmium
- Chromium, Total
- Copper
- Corrosivity, Liquids

WRR Environmental Services Co., Inc.
ID: 618026530

Eau Claire WI
 Phone: (715) 834-9624

- Ignitability (Flashpoint), Setaflash Closed Cup
- Lead
- Nickel
- Selenium
- Silver
- Thallium
- Zinc

Xcel Energy, Inc., Minneapolis Testing La
ID: 999071150

Minneapolis MN
 Phone: (612) 630-4145

Matrix: Aqueous

Inductively Coupled Plasma Emission Spectrophotometry (ICP)

- Aluminum
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Boron
- Cadmium
- Cadmium
- Calcium
- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Hardness, Total as CaCO₃
- Iron
- Lead

Xcel Energy, Inc., Minneapolis Testing La
ID: 999071150

Minneapolis MN
 Phone: (612) 630-4145

- Lead
- Magnesium
- Manganese
- Manganese
- Mercury
- Mercury, Low Level
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Phosphorus, Total
- Potassium
- Selenium
- Selenium
- Silver
- Silver
- Sodium
- Strontium
- Thallium
- Thallium
- Tin
- Vanadium
- Vanadium
- Zinc
- Zinc

Matrix: Non-Aqueous

Gas Chromatography (GC)

- ## PCB as AROCLORS (group)
- Aluminum
- Antimony
- Antimony
- Arsenic
- Arsenic
- Barium
- Barium
- Beryllium
- Beryllium
- Boron
- Cadmium
- Cadmium
- Calcium

Wisconsin Department of Natural Resources

List of All Certified Laboratories

To obtain a more recent list send e-mail to Tom.Trainor@Wisconsin.gov. Certification or registration by the State of Wisconsin under Ch. NR 149, Wis. Adm. Code is not an endorsement or guarantee of the validity of the data generated by a laboratory.

Xcel Energy, Inc., Minneapolis Testing La

ID: 999071150

Minneapolis MN

Phone: (612) 630-4145

- Chromium, Total
- Chromium, Total
- Cobalt
- Cobalt
- Copper
- Copper
- Iron
- Lead
- Lead
- Magnesium
- Manganese
- Manganese
- Mercury
- Molybdenum
- Molybdenum
- Nickel
- Nickel
- Potassium
- Selenium
- Selenium
- Silver
- Silver
- Sodium
- SPLP Extraction
- Strontium
- TCLP Extraction
- Thallium
- Thallium
- Tin
- Vanadium
- Vanadium
- Zinc
- Zinc